

jesco
— Since 1932 —[®]



Jesco Industries, Inc.
950 Anderson Rd
PO Box 388
Litchfield, MI 49252-0388

Tel: 517.542.2903
Toll Free: 888.463.1246
Fax: 517.542.2501
www.JescoOnline.com



JESCO HUSKY DUMPER®

MADE IN
USA

JescoHuskyDumper® Self Dumping Hoppers

Over 60 models to select from! Standard units, narrow, low profile, large volume, and if you don't find one to fit your application just tell us because we manufacture specials!

All-welded self dumping hoppers handle bulk materials and scrap generated from manufacturing processes. These units can be moved with a forklift or rolled on optional casters. Forklift of proper capacity rating must be used to empty the hopper. The narrow models are designed to fit into tight spaces without losing load capacity and may be shipped two wide and stacked in a truck. Trip handle is one piece with a positive locking mechanism. Jesco's dumpers are engineered to dump when the locking handle is tripped and will return to the upright locked position when empty. Units are designed to empty when filled up the sloped front to shift the center of gravity towards the mouth of the unit.

Safety retaining chain and trip rope assembly are standard on all hoppers manufactured. Painted Vista Green but optional color choices are available.

Packaging is optional but may be added for an extra cost.



Warning: Always observe all safety rules of your company, OSHA, ASME, ITA, along with the manufacturer of the forklift. Dumpers are to be used by properly trained personnel only. Operational video is available on the website.

If your existing Jesco hoppers are missing their yellow safety labels call 1-800-609-8289 and they will be replaced at no charge. Limit is 3.

Please read the "Operational and Maintenance" sheet which accompanies each shipment. Your company's PM should include hopper inspections for excessive wear and tear.

Standard Features:

- Safety retaining chain
- Remote trip rope assembly
- Safety labels
- Safety latch
- Vista green color

Optional Features:

- Casters for units up to 2½ cu. yards
- Lids 1 to 2½ cu. yards
- Paint colors:
Red, OSHA blue, Black, Light gray,
Dark gray, Orange, Yellow.
- Glass recycling hood
- False bottom
- Outrigger base
- 3-Way entry
- Bolt on casters
- Left hand release
- Gate valve
- Drain plug
- Drain hole
- Lifting lugs
- 100% water tight



Safety retaining chain and trip rope store conveniently on the back of the unit when not in use.



Dumps Itself



Rights Itself



Locks Itself

JESCO HUSKY DUMPER®

Heavy Duty Formed Base

12 gauge body 8 gauge base Stackable 3 high empty



1/3 cu. yd. shown

Part No	Capacity	Dimensions	Fork Openings	Weight
211701	.25 cu. yd / 2000 lbs	49"L x 30 ³ / ₄ "W x 26 ¹ / ₂ "H	2 ¹ / ₂ " x 8 ¹ / ₂ " x 20" OC	305 lbs
211705	.33 cu. yd / 2000 lbs	48 ¹ / ₂ "L x 30 ³ / ₄ "W x 31 ¹ / ₂ "H	2 ¹ / ₂ " x 8 ¹ / ₂ " x 20" OC	315 lbs
211711	.50 cu. yd / 2000 lbs	48 ¹ / ₂ "L x 41 ¹ / ₂ " x "W x 31 ¹ / ₂ "H	2 ¹ / ₂ " x 11" x 30" OC	365 lbs
211731	1.0 cu. yd / 2000 lbs	62"L x 41 ¹ / ₂ "W x 37"H	2 ¹ / ₂ " x 11" x 30" OC	445 lbs
211741	1.5 cu. yd / 2000 lbs	62"L x 59 ¹ / ₂ "W x 37"H	2 ¹ / ₂ " x 14" x 48" OC	540 lbs
211751	2.0 cu. yd / 2000 lbs	64"L x 59 ¹ / ₂ "W x 46"H	2 ¹ / ₂ " x 14" x 48" OC	600 lbs
211761	2.5 cu. yd / 2000 lbs	64"L x 59 ¹ / ₂ "W x 51"H	2 ¹ / ₂ " x 14" x 48" OC	620 lbs
*211771	3.0 cu. yd / 2000 lbs	71 ¹ / ₂ "L x 65 ¹ / ₂ "W x 59 ¹ / ₂ "H	2 ¹ / ₂ " x 9 ¹ / ₂ " x 39" OC	810 lbs
*211781	4.0 cu. yd / 2000 lbs	71 ¹ / ₂ "L x 85 ¹ / ₂ "W x 59 ¹ / ₂ "H	2 ¹ / ₂ " x 9 ¹ / ₂ " x 39" OC	970 lbs

* Not stackable, casters not recommended. Non stock item, manufactured to order.

Extra Heavy Duty Formed Base

10 gauge body 8 gauge base Stackable 3 high empty



1 cu. yd. shown

Part No	Capacity	Dimensions	Fork Openings	Weight
211531	1.0 cu. yd / 4000 lbs	62"L x 41 ¹ / ₂ "W x 37"H	2 ¹ / ₂ " x 11" x 30" OC	495 lbs
211541	1.5 cu. yd / 4000 lbs	62"L x 59 ¹ / ₂ "W x 37"H	2 ¹ / ₂ " x 14" x 48" OC	630 lbs
211551	2.0 cu. yd / 4000 lbs	64"L x 59 ¹ / ₂ "W x 46"H	2 ¹ / ₂ " x 14" x 48" OC	705 lbs
211561	2.5 cu. yd / 4000 lbs	64"L x 59 ¹ / ₂ "W x 51"H	2 ¹ / ₂ " x 14" x 48" OC	750 lbs
*211571	3.0 cu. yd / 4000 lbs	71 ¹ / ₂ "L x 65 ¹ / ₂ "W x 59 ¹ / ₂ "H	2 ¹ / ₂ " x 9 ¹ / ₂ " x 39" OC	970 lbs
*211581	4.0 cu. yd / 4000 lbs	71 ¹ / ₂ "L x 85 ¹ / ₂ "W x 59 ¹ / ₂ "H	2 ¹ / ₂ " x 9 ¹ / ₂ " x 39" OC	1070 lbs

* Not stackable, casters not recommended. Non stock item, manufactured to order.

Super Heavy Duty Formed Base

7 gauge body Base: 8 gauge (1/4-1/2 yd.) / .220 gauge (3/4-2 1/2 yd.) Stackable 3 high empty



2 cu. yd. shown

Part No	Capacity	Dimensions	Fork Openings	Weight
211301	.25 cu. yd / 4000 lbs	49"L x 30 ³ / ₄ "W x 26 ¹ / ₂ "H	2 ¹ / ₂ " x 8 ¹ / ₂ " x 20" OC	375 lbs
211305	.33 cu. yd / 4000 lbs	48 ¹ / ₂ "L x 30 ³ / ₄ "W x 31 ¹ / ₂ "H	2 ¹ / ₂ " x 8 ¹ / ₂ " x 20" OC	405 lbs
211311	.50 cu. yd / 4000 lbs	48 ¹ / ₂ "L x 41 ¹ / ₂ "W x 31 ¹ / ₂ "H	2 ¹ / ₂ " x 11" x 30" OC	470 lbs
211321	.75 cu. yd / 5000 lbs	56 ³ / ₄ "L x 41 ¹ / ₂ "W x 35 ¹ / ₂ "H	2 ¹ / ₂ " x 11" x 30" OC	575 lbs
211331	1.0 cu. yd / 6000 lbs	62"L x 41 ¹ / ₂ "W x 37"H	2 ¹ / ₂ " x 11" x 30" OC	625 lbs
211341	1.5 cu. yd / 6000 lbs	62"L x 59 ¹ / ₂ "W x 37"H	2 ¹ / ₂ " x 14" x 48" OC	785 lbs
*211346	1.5 cu. yd / 6000 lbs	64"L x 46 ¹ / ₂ "W x 46"H	2 ¹ / ₂ " x 13 ¹ / ₂ " x 35" OC	780 lbs
211351	2.0 cu. yd / 6000 lbs	64"L x 59 ¹ / ₂ "W x 46"H	2 ¹ / ₂ " x 14" x 48" OC	880 lbs
*211356	2.0 cu. yd / 6000 lbs	64"L x 46 ¹ / ₂ "W x 51"H	2 ¹ / ₂ " x 13 ¹ / ₂ " x 35" OC	790 lbs
211361	2.5 cu. yd / 6000 lbs	64"L x 59 ¹ / ₂ "W x 51"H	2 ¹ / ₂ " x 14" x 48" OC	905 lbs

* Narrow model. Non stock item, manufactured to order.

JESCO HUSKY DUMPER[®]

Super Extra Heavy Duty Structural Base

7 Gauge Body

1/4" Base

Non-stackable

Non stock item, manufactured to order



Part No	Capacity	Dimensions	Fork Openings	Weight
211332	1.0 cu. yd / 6000 lbs	62"L x 41 1/2"W x 37"H	3" x 11 1/4" x 30" OC	660 lbs
211342	1.5 cu. yd / 6000 lbs	62"L x 59 1/2"W x 37"H	3" x 11 1/4" x 30" OC	820 lbs
211352	2.0 cu. yd / 6000 lbs	64"L x 59 1/2"W x 46"H	3" x 11 1/4" x 30" OC	905 lbs
211362	2.5 cu. yd / 6000 lbs	64"L x 59 1/2"W x 51"H	3" x 11 1/4" x 30" OC	930 lbs

Large Volume Super Heavy Duty Structural Base

7 gauge body

Base: 1/4" (3-6 yd.) / 3/8" (8-10 yd.)

Non-stackable

Non stock item, manufactured to order



Part No	Capacity	Dimensions	Fork Openings	Weight
**211371	3 cu. yd / 6000 lbs	71 1/2"L x 65 1/2"W x 59 1/2"H	3" x 10" x 39" OC	1250 lbs
**211381	4 cu. yd / 6000 lbs	71 1/2"L x 85 1/2"W x 59 1/2"H	3" x 10" x 39" OC	1385 lbs
**211391	5 cu. yd / 6000 lbs	71 1/2"L x 105 1/2"W x 59 1/2"H	3" x 10" x 39" OC	1560 lbs
*211411	6 cu. yd / 6000 lbs	71 1/2"L x 125 1/2"W x 59 1/2"H	3" x 10" x 39" OC	1650 lbs
*211431	8 cu. yd / 10000 lbs	91"L x 109"W x 70"H	3" x 10" x 50" OC	3000 lbs
*211451	10 cu. yd / 10000 lbs	91"L x 135"W x 70"H	3" x 10" x 50" OC	3500 lbs

* Casters not available. ** Special base required for use with casters. See page 5.

Low Profile Super Heavy Duty Formed Base

7 gauge body

8 gauge base

Stackable 3 high empty

Non stock item, manufactured to order



Part No	Capacity	Dimensions	Fork Openings	Weight
*212299	.125 cu. yd / 2000 lbs	30"L x 28 1/2"W x 17"H	2 1/2" x 7 1/2" x 18" OC	210 lbs
*212301	.25 cu. yd / 4000 lbs	30"L x 41 1/2"W x 17"H	2 1/2" x 10 3/4" x 29 1/2" OC	260 lbs
*212305	.33 cu. yd / 4000 lbs	44"L x 41 1/2"W x 24"H	2 1/2" x 10 3/4" x 29 1/2" OC	370 lbs
*212311	.5 cu. yd / 4000 lbs	44"L x 49 1/2"W x 24"H	2 1/2" x 10 3/4" x 29 1/2" OC	410 lbs

* Not stackable. * Base is wider than body.

Large Volume, Low Profile Super Heavy Duty Structural Base

7 gauge body

1/4" base

Non-stackable

Non stock item, manufactured to order



Wide body design and convenient working height of 46" make these units natural for handling large, long bulky items. **Lids not available.**

Part No	Capacity	Dimensions	Fork Openings	Weight
**212361	2.5 cu. yd / 6000 lbs	64"L x 67 1/2"W x 46"H	3" x 10 1/2" x 39" OC	995 lbs
**212371	3.0 cu. yd / 6000 lbs	64"L x 87 1/2"W x 46"H	3" x 10 1/2" x 39" OC	1085 lbs
**212376	3.5 cu. yd / 6000 lbs	64"L x 101 1/2"W x 46"H	3" x 10 1/2" x 39" OC	1225 lbs

** Special base required for use with casters. See page 5.

JESCO HUSKY DUMPER®

Lids

Lids are optional on units up to 2½ cubic yard capacity. These units help in meeting environmental regulations and insurance codes. Contents of hoppers stay out of sight for a neater appearance at your facility.

Two piece lids are available for 1 cu. yd. through 2½ cu. yd. capacity hoppers. Lids not available on low profile or narrow hoppers.

Options: Padlock hasp, dust collars.

14 gauge material. Painted Vista Green.

Specify type A or type C lid.

Part No	Hopper Capacity	Weight
220044	1.0 cu. yd.	65 lbs
220054	1.5 cu. yd.	92 lbs
220064	2.0 cu. yd.	106 lbs
220074	2.5 cu. yd.	106 lbs



Type A
Front half opens only



Type C
Both halves open

Caster Options



Hoppers with casters are easy to roll. Available in Semi Steel (SS), Phenolic (PH), Polyurethane (PU), or Moldon Rubber (MR).

Casters provide mobility on most surfaces. Other caster options available.


Casters are welded to base of hoppers unless otherwise specified.

Capacity must match or exceed capacity of hopper.

Part No	Dimensions	Material	Capacity	Weight
240211	6" Dia. x 2" W	SS	4800 lbs	34 lbs
240221	6" Dia. x 2" W	PU	4800 lbs	37 lbs
240231	6" Dia. x 2" W	PH	4000 lbs	28 lbs
240251	6" Dia. x 2" W	MIR	2000 lbs	28 lbs
240321	6" Dia. x 2½" W	PU	6000 lbs	50 lbs
240351	6" Dia. x 2½" W	MIR	2400 lbs	38 lbs
240311	6" Dia. x 2½" W	SS	6000 lbs	51 lbs
240331	6" Dia. x 2½" W	PH	6000 lbs	37 lbs
240421	8" Dia. x 2" W	PU	4800 lbs	56 lbs
240451	8" Dia. x 2" W	MIR	2400 lbs	43 lbs
240511	8" Dia. x 2½" W	SS	6000 lbs	61 lbs
240531	8" Dia. x 2½" W	PH	6000 lbs	46 lbs
240541	8" Dia. x 2½" W	PU	6000 lbs	77 lbs

Special Bases Required When Ordering Casters On Certain Hoppers

Hoppers marked with **two asterisks (**)** require special bases (part no. 230600) in order to be equipped with casters. These special bases are in addition to the price of the hopper, as are the casters. Contact a sales representative for further information and pricing.



Glass Recycling Hood

Glass recycling hoods are available for recycling centers or to give solar and glass manufacturing facilities a place for their non-conforming products. Provides a cleaner way to keep shards in your dumper and off manufacturing floor. These hoods are factory installed on the hopper of your choice. May require addition of counterweights (also factory installed). 7 gauge steel.


Manufactured to order.

Part No	For Hopper Capacity
220100	.25 cu. yd. to 1 cu. yd.
220110	1.5 cu. yd. to 2.5 cu. yd.



False Bottoms

Used inside the hopper for processes that use lubricating or cooling fluids (CNC Machines, screw machines etc.) and need to separate the shavings or solids from the liquids. To be used with drain plug (230145) or drain gate valve 1" (230140), both at additional cost. Twelve 1/8" diameter staggered holes in a 11 gauge sheet bolted to an angle frame to allow access for cleaning under the false bottom. Manufactured to order.



Part No	For Hopper Capacity
230135	.25 cu. yd. to 2.5 cu. yd.
230136	3 cu. yd.

JESCO HUSKY DUMPER®

Open-Sided Extra Heavy Duty Formed Base

7 gauge body

8 gauge base

Non-stackable

Non stock item, manufactured to order

These units are designed for long materials such as bar, pipe, lumber, plastic, tube etc. Can hold large capacities. Trip rope and safety retaining chain are standard.

Casters not recommended.

Painted Vista Green. Made to order.



211800



211810

Part No	Capacity	Dimensions	Fork Openings	Weight
211800	6000 lbs	52 ¹ / ₂ "L x 72"W x 30 ¹ / ₂ "H	2 ¹ / ₂ " x 11 ¹ / ₂ " x 30" OC	650 lbs
211810	6000 lbs	61 ¹ / ₂ "L x 54"W x 45 ¹ / ₂ "H	2 ¹ / ₂ " x 14" x 30" OC	760 lbs

Flat Deck, Open-Sided With Extended Fork Pockets

7 gauge body

8 gauge base

Non-stackable

Non stock item, manufactured to order

These units are designed for long materials to be placed on the flat deck for ease of stacking. Ideal use for this unit is for plasma or laser skeletons.

The extended fork pockets bring the overall length from back against the forklift mast to the front edge of deck platform to 82¹/₄". There is a chain underneath the deck attached to the base to limit dump angle.

With safety in mind this unit has a safety latch, trip handle, trip rope assembly and a safety retaining chain.

A forklift must be used to transport material.


Deck size 48" x 72". Back wall 24" high.

Unit is rated at 3000 lbs capacity.

Casters not recommended.

Painted Vista Green.

Made to order.



Part No	Overall Dimensions	Fork Openings	Weight
211900	82 ¹ / ₄ "L x 72"W x 32 ⁷ / ₈ "H	3 ⁷ / ₁₆ " X 10 ⁵ / ₈ " X 32 ⁵ / ₈ " OC	875 lbs

Flat Deck, Closed-Sided With Extended Fork Pockets

7 gauge body

8 gauge base

Non-stackable

Non stock item, manufactured to order

Designed for scrap skeletons off your water jet, laser, or plasma table. The closed sides will contain the skeletons within the bucket during transporting to the steel scrap roll off container. Material will not slide off like it may do with open sided units. 48"L x 72"W x 24"H inside dimensions. 3000 lbs capacity.

Safety retaining chain, trip rope assembly, and safety latch.



Part No	Overall Dimensions	Fork Openings	Weight
211902	78 ³ / ₄ "L x 77"W x 36 ¹³ / ₁₆ "H	3 ⁷ / ₁₆ " X 10 ⁵ / ₈ " X 32 ⁵ / ₈ " OC	950 lbs

JESCOHUSKYDUMPER®

Side Pivot Hopper

7 gauge body and base 8 gauge fork pockets Non-stackable Non stock item, manufactured to order


This side pivot hopper is a specialty unit with shortened fork pockets and sloped front edge will allow the bucket to pivot between the casters to fully empty the contents.

The overall height of the unit with the 5" x 2" phenolic swivel casters is only 32".

Safety latch, trip handle, safety retaining chain and a trip rope assembly which is standard on all JESCO hoppers.

A forklift must be used to transport and empty the contents of the unit. Unlike most JESCOHUSKYDUMPERs this unit will require manual return of the bucket; the bucket will then engage the handle and the operator returns the safety latch to the locked or closed position ready for the next use.

Painted Vista Green.




Part No	Capacity	Dimensions	Fork Openings	Weight
215000	.50 cu. yd. / 4000 lbs	49"L x 58 ⁷ / ₈ "W x 32"H	3" X 8" X 28" OC	420 lbs

Low Profile Self Dumping Hopper

7 gauge body Casters not available Non-stackable Non stock item, manufactured to order

The newest version of the Low Profile Portable Hopper but without a handle or casters. For those applications under machinery, by a work station, or at the end of a production line. Forklift must be used to move the unit and cannot free dump; however, must use the knees under the front edge to dump assist and to bring the unit back. This unit has a 90 degree dump angle and has a safety retaining chain. 7 Gauge body.



Part No	Capacity	Dimensions	Fork Openings	Weight
215200	.25 cu. yd. / 2800 lbs	43"L x 31"W x 17"OH	2" X 10" X 14" OC	295 lbs
215210	.33 cu. yd. / 2800 lbs	43"L x 41"W x 17"OH	2" X 10" X 22" OC	345 lbs
215220	.50 cu. yd. / 2800 lbs	43"L x 62"W x 17"OH	2" X 10" X 30" OC	445 lbs
215230	.75 cu. yd. / 2800 lbs	55"L x 48 ¹ / ₂ "W x 24"OH	2" X 10" X 30" OC	520 lbs
215240	1.0 cu. yd. / 2800 lbs	55"L x 63 ¹ / ₂ "W x 24"OH	2" X 10" X 30" OC	595 lbs
215250	1.5 cu. yd. / 2800 lbs	75"L x 62"W x 24"OH	2" X 10" X 30" OC	720 lbs

Low Profile Portable Hopper


7 gauge body 1/4" base Non-stackable Non stock item, manufactured to order



With its low profile the ideal application is under machinery for catching shavings, steel slugs, or holding small parts. The removable push handle and 4" x 2" phenolic casters allow for easy maneuvering into place. 20¹³/₁₆" to top of bucket, overall height (to top of handle) is 36". This unit dumps a full 90 degrees for full and complete content removal. Use forklift to transport and empty contents.

Safety chain is used underneath the unit to secure bucket to the base. Units are welded watertight. Safety latch, trip handle, trip rope assembly and safety retaining chain are standard on all JESCOHUSKYDUMPERs. Painted Vista Green.

Part No	Capacity	Dimensions	Fork Openings	Weight
215100	.51 cu. yd. / 2800 lbs	48"L x 36"W x 20 ¹³ / ₁₆ "H	3" X 8" X 16" OC	406 lbs
215150	.67 cu. yd. / 2800 lbs	48"L x 48"W x 20 ¹³ / ₁₆ "H	3" X 8" X 16" OC	457 lbs



JESCOHUSKYDUMPER®

Filter Press Hopper


MADE IN
USA

7 gauge body 1/4" base Non-stackable Non stock item, manufactured to order

The specialty Filter Press Hopper is used after the waste water has been eliminated and the filter cake is left.

Box is tapered front and back, square sides sitting on a forklift base. Mobility made easy with 4" x 2" polyurethane casters (non-marking) to position unit where needed. A forklift must be used to empty contents. Safety retaining chain, safety latch, trip handle and a trip rope assembly installed on unit.

Painted Vista Green. Palletized for shipping.



Part No	Capacity	Dimensions	Fork Openings	Weight
262110	.67 cu. yd. / 2800 lbs	36"L x 44"W x 29 ¹³ / ₁₆ "H	3" X 8" X 22" OC	428 lbs
262130	.79 cu. yd. / 2800 lbs	36"L x 52"W x 29 ¹³ / ₁₆ "H	3" X 8" X 28" OC	485 lbs
262140	.91 cu. yd. / 2800 lbs	36"L x 60"W x 29 ¹³ / ₁₆ "H	3" X 8" X 28" OC	520 lbs
262150	1.10 cu. yd. / 2800 lbs	36"L x 72"W x 29 ¹³ / ₁₆ "H	3" X 8" X 28" OC	558 lbs
262160	1.25 cu. yd. / 2800 lbs	36"L x 82"W x 29 ¹³ / ₁₆ "H	3" X 8" X 28" OC	636 lbs
263120	.88 cu. yd. / 2800 lbs	42"L x 48"W x 29 ¹³ / ₁₆ "H	3" X 8" X 28" OC	505 lbs
263140	1.10 cu. yd. / 2800 lbs	42"L x 60"W x 29 ¹³ / ₁₆ "H	3" X 8" X 28" OC	555 lbs
263150	1.32 cu. yd. / 2800 lbs	42"L x 72"W x 29 ¹³ / ₁₆ "H	3" X 8" X 28" OC	649 lbs
264140	1.36 cu. yd. / 2800 lbs	52"L x 58"W x 29 ¹³ / ₁₆ "H	3" X 8" X 28" OC	625 lbs
264150	1.82 cu. yd. / 2800 lbs	60"L x 66"W x 29 ¹³ / ₁₆ "H	3" X 8" X 28" OC	729 lbs

JESCOHYDRATILT™ DUMPERS

7 gauge body 1/4" base Non-stackable Non stock item, manufactured to order

The time tested construction of JESCOHUSKYDUMPER is now available in hydraulically controlled dumping hoppers. These units are **ideal where control of the quantity of material dumped or the speed of discharge is critical. They operate off the hydraulic system of your forklift and come complete with Pioneer style 1/4" male quick-disconnect hoses for easy attachment to the forklift.**

The safety committee's dream solution to keep the operator seated on the forklift while discharging contents. Saves time and saves money, a win-win situation.

Fork pockets are spaced 28" on center. Available in 1/2, 3/4, 1, 1-1/2 and 2 cubic yard capacities. All units have a 4000 lbs weight capacity.

Options: casters, lids.

Painted Vista Green.

**Manufactured to order,
8 weeks minimum lead time.**

Part No	Capacity	Dimensions	Fork Openings	Weight
213511	.50 cu. yd. / 4000 lbs	53 ¹ / ₄ "L x 40 ¹ / ₂ "W x 33"H	2 ¹ / ₂ " x 7 ¹ / ₂ " x 28" OC	670 lbs
213521	.75 cu. yd. / 4000 lbs	61 ¹ / ₂ "L x 40 ¹ / ₂ "W x 37"H	2 ¹ / ₂ " x 7 ¹ / ₂ " x 28" OC	680 lbs
213531	1.0 cu. yd. / 4000 lbs	66 ⁵ / ₈ "L x 40 ¹ / ₂ "W x 38 ¹ / ₂ "H	2 ¹ / ₂ " x 7 ¹ / ₂ " x 28" OC	750 lbs
213541	1.5 cu. yd. / 4000 lbs	66 ⁵ / ₈ "L x 59 ¹ / ₂ "W x 38 ¹ / ₂ "H	2 ¹ / ₂ " x 7 ¹ / ₂ " x 28" OC	842 lbs
213551	2.0 cu. yd. / 4000 lbs	68 ⁵ / ₈ "L x 59 ¹ / ₂ "W x 47 ¹ / ₂ "H	2 ¹ / ₂ " x 7 ¹ / ₂ " x 28" OC	998 lbs



MADE IN
USA



jesco® ROTATOR BOX

7 gauge body 7 gauge fork pockets Non-stackable Non stock item, manufactured to order

The Rotator box is designed for the collection and storage of bulk material. The box can be dumped with a rotating fork attachment (not included). Fork openings are 3"x8". Overall height is 39³/₁₆". Box is manufactured from 7 gauge steel with continuously welded seams. Rolled top edges like the JescoHUSKYDUMPER® series.



Available in 1 cubic yard to 2.67 cubic yards to handle all your bulk material handling requirements. This rotating box will reduce operation cost, increase productivity and provide a safe method of material handling. Custom engineered and special designs are available. Contact our engineering and sales staff to discuss your specific needs and ideas.

Applications: shredded material, recycled material, bulk material storage, sorting or staging products.

Optional lifting lugs and casters.

Painted Vista Green. Manufactured to order.

MADE IN
USA

Part No	Capacity	Box Inside Dimensions	Overall Dimensions	Fork Openings	Weight
260010	1.00 cu. yd. / 6000 lbs	36"L x 36"W x 36"H	41"L x 41"W x 39 ³ / ₁₆ "H	3" X 8" X 28" OC	440 lbs
260020	1.33 cu. yd. / 6000 lbs	48"L x 36"W x 36"H	53"L x 41"W x 39 ³ / ₁₆ "H	3" X 8" X 28" OC	510 lbs
260030	1.67 cu. yd. / 6000 lbs	60"L x 36"W x 36"H	65"L x 41"W x 39 ³ / ₁₆ "H	3" X 8" X 28" OC	590 lbs
260040	2.00 cu. yd. / 6000 lbs	72"L x 36"W x 36"H	77"L x 41"W x 39 ³ / ₁₆ "H	3" X 8" X 28" OC	660 lbs
260110	1.75 cu. yd. / 6000 lbs	48"L x 48"W x 36"H	53"L x 53"W x 39 ³ / ₁₆ "H	3" X 8" X 28" OC	610 lbs
260120	2.25 cu. yd. / 6000 lbs	60"L x 48"W x 36"H	65"L x 53"W x 39 ³ / ₁₆ "H	3" X 8" X 28" OC	690 lbs
260130	2.67 cu. yd. / 6000 lbs	72"L x 48"W x 36"H	77"L x 53"W x 39 ³ / ₁₆ "H	3" X 8" X 28" OC	770 lbs

jesco® TOWABLE ROTATOR BOX

7 gauge body 7 gauge fork pockets Non-stackable Non stock item, manufactured to order

Towable Rotator Box is designed for the collection and storage of bulk materials. The towing tongue (wishbone style) allows for towing at up to 4 mph. Rolls on 8" x 2¹/₂" Polyurethane casters. Four different sizes are available to handle all your bulk handling of your material.

Fork openings are 3" x 8" to be dumped with a rotating forklift attachment (not included). The box seams are continuously welded.

Custom engineering and custom design assistance is available to fulfill your special project requirements.

Applications: Machine shops managing shredded material, recycling material, bulk material storage.

Painted Vista Green.

Palletized for shipping.

Manufactured to order.



MADE IN
USA

Part No	Capacity	Box Inside Dimensions	Overall Dimensions	Fork Openings	Weight
250010	1.67 cu. yd. / 6000 lbs	60"L x 36"W x 36"H	65"L x 41"W x 45 ¹ / ₂ "H	3" X 8" X 28" OC	650 lbs
250020	2.00 cu. yd. / 6000 lbs	72"L x 36"W x 36"H	77"L x 41"W x 45 ¹ / ₂ "H	3" X 8" X 28" OC	725 lbs
250050	2.25 cu. yd. / 6000 lbs	60"L x 48"W x 36"H	65"L x 53"W x 45 ¹ / ₂ "H	3" X 8" X 28" OC	760 lbs
250060	2.67 cu. yd. / 6000 lbs	72"L x 48"W x 36"H	77"L x 53"W x 45 ¹ / ₂ "H	3" X 8" X 28" OC	810 lbs

jesco® CHIP & WASTE TRUCK

MADE IN USA



Chip and waste trucks can handle the big bulk capacity jobs. Helps with savings on housekeeping and safety in the work place. Units are designed for confined areas and tight turns with less effort to dump. Manual tip to empty contents. Rugged construction of 14 gauge steel. All models are leakproof.

Mounted on moldon rubber wheels. Two 10" x 2 1/2" load wheels.

Swivel caster options:

A: (1) 8" x 2" moldon rubber caster

B: (2) 8" x 2" moldon rubber casters

Painted Vista Green. Palletized for shipping. **Manufactured to order.**

Part No	Swivel Caster	Capacity	Dimensions	Weight
290200	A	5/8 cu. yd / 1500 lbs	68"L x 24 1/2"W x 40"H	200 lbs
290300	B	3/4 cu. yd / 2000 lbs	68"L x 30 1/2"W x 40"H	245 lbs
290400	B	1 cu. yd / 2000 lbs	68"L x 36 1/2"W x 40"H	265 lbs

jesco® MANUAL TILT TRUCK

MADE IN USA



271231 shown

Heavy duty 13 gauge steel body with reinforced corners.

Units are designed for manual handling of light weight, in plant refuse such as cardboard, paper, wood, pallets, trash, etc. Not watertight.

Not for use with a forklift. Do not exceed your lifting capability.

Four 6" Moldon Rubber casters (2 rigid, 2 swivel).

Painted Vista Green. Palletized for shipping. **Manufactured to order.**

Part No	Capacity	Dimensions	Weight
271231	1 cu. yd / 2000 lbs	57"L x 30 1/2"W x 41 3/4"H	200 lbs
271251	2 cu. yd / 2000 lbs	57"L x 57 1/2"W x 41 3/4"H	290 lbs

Low Profile

JESCO Manual Tilt Trucks has added two new low profile models. Overall height to the top of the push handle is 30", while the bucket measures 24" from the floor to the top edge. Manufactured from 13 gauge steel with reinforced corners.

Units are designed for manual handling of light weight materials and roll on 6" x 2" mold on rubber casters. **Not to be used with forklift or rotator. Do not exceed your lifting capability.** Units are not watertight. Painted Vista Green. Palletized for shipping. **Manufactured to order.**



271211 shown


Part No	Capacity	Dimensions	Weight
271211	.38 cu. yd / 1000 lbs	47 13/16"L x 30 1/16"W x 24"H	136 lbs
271221	.75 cu. yd / 1000 lbs	47 13/16"L x 57 1/16"W x 24"H	194 lbs

jesco® CYLINDER STORAGE CABINETS


Cabinets are designed to be used for storage of either full or empty 33# or 43# LP cylinders with 5 different size cabinets to choose from. Included are reinforced walls and door panel manufactured with 2" x 1" rectangular wire mesh (10 ga.) welded into an angle frame, and has a pre-galvanized 20 ga. roof panel. No firewall dividers. Door has padlock lugs (padlock not included) to secure cabinet. Unit comes unassembled and protected in a crate for transport. Simple hand tools will be required for cabinet assembly. Meets or exceeds OSHA and NFPA requirements for outside cylinder storage.

Painted in Safety Yellow and comes with "Flammable – Keep away from flame" stickers.

Part No	Capacity	Doors	Dimensions	Weight
116050	4 cylinders	1	30"L x 41"W x 42"H	249 lbs
116055	6 cylinders	1	30"L x 41"W x 56"H	306 lbs
116060	8 cylinders	1	30"L x 41"W x 72"H	358 lbs
116070	12 cylinders	1	42"L x 41"W x 72"H	440 lbs
116080	16 cylinders	2	60"L x 41"W x 72"H	586 lbs



Model 116060




Model 116080



jesco® VERTICAL STORAGE CABINETS



Model 116514



Model 116524

Store and protect your vertical cylinders in a tamper proof cabinet.

Rectangular 2" x 1" 10 ga. mesh welded to steel angle and channel frames. Heavy duty hinges and padlock lugs. Galvanized 20 ga. steel roof. Safety chain for securing cylinders upright. No firewall dividers.

Meets OSHA and NFPA requirements. Painted in Safety Yellow and comes with "Flammable – Keep away from flame" stickers.

Shipped KD in a crate. Assembly required with simple hand tools.



Note: Capacity based on 9" dia. cylinders.

Part No	Capacity	Doors	Dimensions	Weight
116514	9 cylinders	1	30"L x 41"W x 72"H	285 lbs
116524	18 cylinders	2	60"L x 41"W x 72"H	463 lbs



jesco® CYLINDER PALLET

Cylinder Pallet securely holds 4, 6, or 8 vertical 9" diameter cylinders in place for easy storage and has 5" wide fork tubes for transporting by forklift. The pallet has hinged dividers between rows and a flat deck for easier cylinder placement. All welded steel construction and comes fully assembled and ready to use. This Cylinder Pallet comes in OSHA Blue.

Always follow all safety rules of your company, OSHA and the manufacturer of the forklift.



Part No	Capacity	Dimensions	Weight
116615	4 cylinders	23"L x 34"W x 40"H	120 lbs
116625	6 cylinders	33"L x 34"W x 40"H	154 lbs
116635	8 cylinders	43"L x 34"W x 40"H	186 lbs

Wire mesh guarding systems provide an excellent method of defining work areas, aisle ways, or departments. With the proper layout you are able to restrict unnecessary traffic and direct the flow of materials in a plant or warehouse.

These systems are quickly installed with standard hand tools. Layout changes may be accomplished with little or no waste. The Panel System allows barrier to be relocated and used again as the need grows.

8" sweep space. All hardware and anchors included. Panels are painted dark gray to allow full visibility. Posts are powder coated yellow.



Part No	Dimensions	Weight
PANELS		
390001	10'W x 5'H	75 lbs
390011	9'W x 5'H	70 lbs
390021	8'W x 5'H	65 lbs
390031	7'W x 5'H	55 lbs
390041	6'W x 5'H	50 lbs
390051	5'W x 5'H	40 lbs
390061	4'W x 5'H	35 lbs
390071	3'W x 5'H	25 lbs
390081	2'W x 5'H	20 lbs
390091	1'W x 5'H	18 lbs
LINE POST		
392911	2"W x 5'8"H	14 lbs
CORNER POST		
392961	2"W x 5'8"H	14 lbs
DOOR (w/posts)		
393111	4'W x 5'H	73 lbs

jESCO PARTITION SYSTEMS

Extra heavy duty all welded steel construction using 2" x 1" x 10 gauge woven rectangular mesh. Steel angle frame is 1 1/4" x 1 1/4" x 1/8". Doors equipped with padlock lugs as standard, cylinder lock optional. Interconnecting hardware and floor anchors are included.

Ideal where security is required. Provide a sketch and we will do the rest.

This wire partition comes pre-engineered for easy installation. No special tools required. When relocation is required, disassembly and assembly is made easy.

This system allows for full visibility without air, light or heat restriction.

Standard color is dark gray (PM9017).



Optional color shown

Part No	Dimensions	Weight
PANELS		
390001	10'W x 5'H	75 lbs
390011	9'W x 5'H	70 lbs
390021	8'W x 5'H	65 lbs
390031	7'W x 5'H	55 lbs
390041	6'W x 5'H	50 lbs
390051	5'W x 5'H	40 lbs
390061	4'W x 5'H	35 lbs
390101	10'W x 4'H	65 lbs
390111	9'W x 4'H	60 lbs
390121	8'W x 4'H	55 lbs
390131	7'W x 4'H	45 lbs
390141	6'W x 4'H	40 lbs
390151	5'W x 4'H	35 lbs
390161	4'W x 4'H	30 lbs

Technical Data

Mesh: 2" x 1" rectangular woven wire mesh, 10 gauge
 Frame: 1 1/4" x 1 1/4" x 1/8" angle
 Posts: 2" x 2" square, 14 gauge
 Hardware: Zinc plated
 Sweep space: 3"


JESCO DOORS & COMPONENTS

10 Gauge woven wire - 2" X 1" mesh.

Standard paint color is Drak Gray (PM9017)



Single Slide Doors No Transom



Slide doors are mounted on the outside of enclosure and can be installed to close left or right.

Padlock lugs are standard.
Cylinder locks optional, order part # 301406.


Box track set comes complete with rollers, guides, and stops.

Slide doors require (2) slide door posts on either side.

We fabricate a wide assortment of heights and widths to fit your requirements.

Part No	Dimensions	Weight
SINGLE SLIDE DOORS		
391101	3'W x 8'H	80 lbs
391151	4'W x 8'H	99 lbs
391161	5'W x 8'H	113 lbs
391171	6'W x 8'H	135 lbs
391201	8'W x 8'H	172 lbs
391251	10'W x 8'H	201 lbs
391271	3'W x 10'H	97 lbs
391281	4'W x 10'H	121 lbs
391301	5'W x 10'H	138 lbs
391351	6'W x 10'H	164 lbs
391391	8'W x 10'H	204 lbs
391401	10'W x 10'H	247 lbs

Single Hinged Doors



Stock doors are hinged left swing out.

Standard door height is 7'.


Transoms are used with 8' or 10' doors.

Padlock lugs are standard.
Cylinder lock optional, order part # 301402.

Hinged doors require (2) hinged door posts on either side.

Part No	Dimensions	Weight
SINGLE HINGED DOORS		
391611	3'W x 8'H (1' Transom)	80 lbs
391641	4'W x 8'H (1' Transom)	94 lbs
391631	3'W x 10'H (3' Transom)	90 lbs
391661	4'W x 10'H (3' Transom)	107 lbs

How to layout your enclosure




1. Make a hand sketch of the area showing L x W x H of the enclosure.
2. Locate doors?
3. Is ceiling required?
(Add to overall height)
4. Cylinder locks?
(Padlock lugs standard)
5. Paint finish?
Standard is Dark Gray.

Service Window Panels

Slide up windows are **factory installed in panels. Opening is 24" W x 20" H.**

Can be secured opened or closed.
Shelf is shipped KD.



Part No	Dimensions	Weight
SERVICE WINDOW PANELS		
390602	4'W x 8'H	95 lbs
390603	4'W x 10'H	105 lbs


Accessories



Panel Connection



Post Cap



Fill-A-Space Panel



Adjustable Corner



Cylinder Lock



Padlock



3 Way



Corner Post



Line Post

Part No	Description	Weight
392101	Adjustable hinge corner kit	3 lbs
392061	8' Corner/3-4 way post	20 lbs
392081	10' Corner/3-4 way post	24 lbs
392011	8' Line post	20 lbs
392031	10' Line post	24 lbs
392292	8' Hinged door post	19 lbs
392294	10' Hinged door post	23 lbs
392161	8' Slide door post	20 lbs
392181	10' Slide door post	24 lbs

jesco® OVER CAR STORAGE LOCKER

Easily accessible, secured storage out of the way of the parked car. The unused areas at the head of the parking area can be turned into valuable storage lockers for the owner or tenant. The Over Car Storage Locker can be attached to either the garage wall or ceiling.

The 2" x 1" mesh bottom panel with the angle supports will easily support 400 lbs evenly distributed over the entire bottom of unit.

Each Over Car Storage Locker comes with padlockable slide doors. Padlocks not included. Painted dark gray. Crated for shipping.

- 2" x 1" 10 gauge rectangular mesh welded into an angle frame
- 1 1/4" x 1 1/4" x 1/8" angle frame and support braces
- Interconnecting hardware included

Options: Ceiling panel, Backs.

Optional finishes: Galvanized, Powder Coated.


Optional colors: Light Gray, OSHA Blue, Black and Vista Green.



384170 shown with 384200 ceiling option.

Part No	Dimensions	Weight
384100	6'L x 3'W x 3'H	165 lbs
384110	8'L x 3'W x 3'H	195 lbs
384120	6'L x 4'W x 3'H	185 lbs
384130	8'L x 4'W x 3'H	215 lbs
384140	6'L x 3'W x 4'H	185 lbs
384150	8'L x 3'W x 4'H	205 lbs
384160	6'L x 4'W x 4'H	205 lbs
384170	8'L x 4'W x 4'H	240 lbs
CEILING OPTIONS		
384190	6'L x 3'W	45 lbs
384180	8'L x 3'W	55 lbs
384210	6'L x 4'W	55 lbs
384200	8'L x 4'W	70 lbs

MADE IN
USA



jesco® WELDED STORAGE LOCKERS

MADE IN
USA



- Employee lockers
 - Small package storage
 - Equipment storage
 - Tech lockers

Welded 3 door heavy duty storage lockers. 1 1/4" x 1 1/4" x 1/8" angle frame work, 13 gauge shelves, 2" x 1" 10 gauge woven wire mesh sides.

Units are 75" high and have 21" clearance between shelves. Each door swings 180 degrees, and is equipped with separate padlock lugs. Legs have anchoring holes for 3/8" anchors. 1500 lbs total capacity. 500 lbs per shelf, distributed evenly.

Painted dark gray. Optional colors: OSHA Blue, Vista Green, Black.

Palletized for shipping, shipping weight will be more than unit weight.

Part No	Dimensions	Weight
383120	18"L x 18"W	121 lbs
383140	24"L x 24"W	170 lbs
383160	30"L x 30"W	216 lbs
383180	36"L x 36"W	274 lbs

JESCO® BULK STORAGE LOCKERS

Modular three sided units provide safe, secure storage for apartments, town house basement areas, office buildings, shops, factories, condominiums, etc. Units are designed to expand with your needs. Easy to install.



Order one starter unit per run, then attach Add-On Units as needed.


2" x 1" x 10 gauge woven rectangular mesh permits maximum air movement. Units are padlockable with steel frames that attach easily to existing walls. Double tier unit comes with reinforced galvanized shelf (250 lbs capacity, evenly distributed). All interconnecting hardware is included. **Tops, roofs, backs, and floor anchors are optional.**

For full height doors (no transoms), append FH to the part number. For flexibility to comply with fire code egress regulations, full height doors are reversible to hinge on either side. Choice of 3' or 4' widths. Painted dark gray.

Sketch room dimensions and make note of obstructions and height restrictions.


Also available in:

- 2" x 1" 8 gauge
 - 1" x 1" 10 gauge
 - 1½-16 Expanded metal
 - 1½-13 Expanded metal
- Consult factory for price.



Single Tier

Dimensions	Part No	Weight	Part No	Weight
STARTER UNITS		ADD-ON UNITS		
36"W x 36"D x 90"H	380305	147 lbs	380365	108 lbs
36"W x 48"D x 90"H	380310	164 lbs	380370	116 lbs
36"W x 60"D x 90"H	380315	181 lbs	380375	125 lbs
48"W x 36"D x 90"H	380320	153 lbs	380380	114 lbs
48"W x 48"D x 90"H	380325	170 lbs	380385	122 lbs
48"W x 60"D x 90"H	380330	187 lbs	380390	131 lbs



Double Tier

Dimensions	Part No	Weight	Part No	Weight
STARTER UNITS		ADD-ON UNITS		
36"W x 36"D x 90"H	380335	170 lbs	380395	131 lbs
36"W x 48"D x 90"H	380340	195 lbs	380400	147 lbs
36"W x 60"D x 90"H	380345	220 lbs	380405	154 lbs
48"W x 36"D x 90"H	380350	189 lbs	380410	150 lbs
48"W x 48"D x 90"H	380355	208 lbs	380415	164 lbs
48"W x 60"D x 90"H	380360	242 lbs	380420	187 lbs

Full height lockers can be had by appending FH to the part number when ordering.



jescopalLETGARD®

MADE IN
USA

Keep objects from falling off or between loaded pallet racks by using **jescopalLETGARD**, wire containment systems. Easy to install, just bolt clips to pallet rack upright and fasten to panel.

Constructed from 1 1/4" angle frame and 2" x 1" x 10 gauge rectangular mesh.

Standard panels are available in widths of 8', 9' or 10' and heights of 4' and 5'. The 3'6" wide panels are used to enclose ends of racks. Interconnecting hardware is included. Clips are not included. Order size and quantity below. 4 clips required per panel. Custom size clips and panels are available to fit most applications.

Painted dark gray.

Part No	Dimensions	Weight
PANELS		
390167	3'H x 3'6"W	23 lbs
390166	4'H x 3'6"W	30 lbs
390165	5'H x 3'6"W	33 lbs
390121	4'H x 8"W	55 lbs
390021	5'H x 8"W	65 lbs
390111	4'H x 9"W	60 lbs
390011	5'H x 9"W	70 lbs
390101	4'H x 10"W	65 lbs
390001	5'H x 10"W	75 lbs




Clips are designed to fit most standard, drilled pallet racks spaced 2" on center.

Painted dark gray (PM9017).

4 clips in each package.

Part No	Dimensions	Weight
CLIPS		
393200	1 1/4"L	2 lbs
393210	4"L	3 lbs
393220	6"L	4 lbs
393230	8"L	5 lbs



jescopalLETGARD® DOORS

Doors help to provide security of records, files, inventory, etc. from unauthorized access. Fabricated with 1 1/4" angle frame and 2" x 1" 10 gauge woven wire mesh. Attach to vertical rack posts or use freestanding by adding tube posts. Padlock lugs are standard. See above for side panels and clips. Painted dark gray (PM9017). Shipped KD.



Double slide door

Part No	Dimensions	Weight
SLIDE DOORS		
385061	8'H x 8'W	195 lbs
385081	10'H x 8'W	245 lbs
385111	8'H x 10'W	225 lbs
385131	10'H x 10'W	295 lbs

Part No	Dimensions	Weight
HINGED DOORS		
385261	8'H x 8'W	130 lbs
385281	10'H x 8'W	170 lbs
385311	8'H x 10'W	145 lbs
385331	10'H x 10'W	195 lbs



Double hinge door

JESCO® EEZY STAK®

MADE IN USA


Machine guarding system designed and engineered to SAVE UP TO 75% on your setup time. Pin and bolt panel interconnects allow a wide range of panel angles.

Woven wire mesh panels are securely welded into a strong angle frame with a dark gray paint finish. All posts are painted safety yellow. Each panel and post is packaged then crated for extra protection.

We also offer many options such as wainscoting, polycarbonate and acrylic panels, welding curtains and noise control panels.

If you do not see the sizes that meet your requirements, just give us a foot print of your work area and we will design the JESCO EEZY STAK system to meet your needs.


Note: Always follow OSHA, RIA and ANSI standards.



Technical Data

Mesh Opening:	2" x 1" mesh, 10 gauge wire
Angle Frame:	1 1/4" x 1 1/4" x 1/8"
Post:	2" x 2", 14 gauge, 5'8" length
Door:	48" x 60"
Hardware:	Zinc plated
Sweep space:	8"


Hardware Details



Base plate



Flip latch



Door stop



Bolt tab



Pin tab



Post cap

Part No	Dimensions	Weight
PANELS		
333501	10'W x 5'H	78 lbs
333511	9'W x 5'H	71 lbs
333521	8'W x 5'H	65 lbs
333531	7'W x 5'H	59 lbs
333541	6'W x 5'H	53 lbs
333551	5'W x 5'H	46 lbs
333561	4'W x 5'H	35 lbs
333571	3'W x 5'H	27 lbs

Part No	Dimensions	Weight
HINGED DOORS		
335201	3'W x 5'H	66 lbs
335205	4'W x 5'H	73 lbs
335207	5'W x 5'H	81 lbs

Part No	Description	Height	Weight
POSTS			
336253	Line post	5'8"	15 lbs
336273	Corner post	5'8"	15 lbs
336283	3-way post	5'8"	16 lbs
336293	4-way post	5'8"	16 lbs
336421	End post	5'8"	15 lbs

Wire Partition Lock Options

Standard And Optional Locks



Standard front with cylinder lock.



Standard back with recessed thumb turn.



Thumb turn.



Ball knob.



Lever handle.

Panic Bar



Full width panic bars enable easy exit even in emergency situations. Cylinder lock on front.



Wooden Crate Protects Your Product

STANDARD PAINT COLOR

Dark Gray PM9017

OPTIONAL PAINT COLORS

Vista Green PM6138

OSHA Blue PM5180

Red Primer PM9936

Light Gray PM9640

Midnight Black PM9020

Note: Actual paint colors may vary from printed colors.

Mesh Types

Diamond
Rectangular
Square

Gauges

10
8
6


Finishes

Painted
Powder Coated
Galvanized

All wire partition orders are double protected to help eliminate freight damage. Each panel is protected in dunnage, then the panels are put into a strong wooden crate as shown. We believe this is a better way to protect your product during transit.

Heat treated crates required for export are available at additional cost.

Small crate: 1-10 panels
Medium crate: 11-20 panels
Large crate: 21-30 panels



JESCO® INFILL PANELS



Jesco® Industries will custom fabricate these panels to meet your specific requirements. Available in diamond, rectangular and square mesh with or without standoffs. Standard frame is 1" x 1/2" channel with 10 gauge woven wire mesh.

Other size framing materials and mesh are available. Banding is required for panels with standoffs - specify weld pattern and types of weld finish desired. All types of finishes available.



Note: Always check and follow local building codes for your area.




Diamond mesh



Square mesh



Panel with hemmed edge




Diamond mesh with standoff



Square mesh with Standoff



Panel capped with channel




A
No evidence of weld joint.


B
Finish sanded - Welds undercut & pin holes.

C
Partially finished, spatter removed.


D
As applied, no finish.




Infill Panel Frame Options




1/2" x 1" x 1/8" channel frame.



1/2" x 1" x 1/8" channel frame with 5/8" x 1 1/4" x 1/8" channel cap.



1/2" x 1" x 1/8" channel frame with 1/8" x 1" flat bar cap.



1 1/2" x 16 gauge U-edging with 2" reveal.



1 1/2" Diamond Mesh

Wire mesh partitions are double crimped, securely interwoven and clinched on

drawn metal frames, creating a strong, durable, and stable product. Provides clear visibility and maximum ventilation. Low initial cost and with little maintenance. Partitions are provided complete with galvanized top cap with "U" bolts and all interconnecting hardware.

Ceiling panels will add to the overall height of the partitions. Ceiling panels are not designed to be load bearing.

Standard color is dark gray.

Crated for shipping.

Part No	Dimensions	Weight
PANELS		
300101	1'W x 7'H	16 lbs
300102	2'W x 7'H	24 lbs
300103	3'W x 7'H	31 lbs
300104	4'W x 7'H	39 lbs
300105	5'W x 7'H	46 lbs
300107	1'W x 8'H	18 lbs
300108	2'W x 8'H	26 lbs
300109	3'W x 8'H	35 lbs
300110	4'W x 8'H	43 lbs
300111	5'W x 8'H	51 lbs
300119	1'W x 10'H	22 lbs
300120	2'W x 10'H	32 lbs
300121	3'W x 10'H	41 lbs
300122	4'W x 10'H	51 lbs
300123	5'W x 10'H	60 lbs

Technical Data

Mesh: 1 1/2" diamond woven wire mesh, 10 gauge
 Frame: 1 1/4" x 5/8" channel
 Corner angle: 1 1/4" x 1 1/4" x 1/8"
 Channel line post: 4" formed
 Sweep space: 2 1/2"



Part No	Dimensions	Weight
ADJUSTABLE CORNER ANGLE		
301281	7'H	11 lbs
301282	8'H	13 lbs
301284	10'H	16 lbs



Wall clip. Required for each wall connection.



Adjustable wall clip. Allows up to 1" of adjustment



Three-way clips. Required when 3 panels meet.



Part No	Dimensions	Weight
CORNER ANGLE		
301271	7'H	7 lbs
301272	8'H	8 lbs
301274	10'H	10 lbs

Part No	Dimensions	Weight
CLIPS		
301361	Wall clips (3 pcs.)	.40 lbs
301362	Adjustable clips (3 pcs.)	.65 lbs
301363	Three-way clips	.82 lbs




Part No	Dimensions	Weight
CHANNEL LINE POST		
301251	7'H	14 lbs
301252	8'H	16 lbs
301254	10'H	19 lbs

Used as stiffener every 15 ft.



Vertical C-channel frame between panels.

Horizontal stiffener channels



Part No	Dimensions	Weight
FILL-A-SPACE PANEL		
301301	7'H	19 lbs
301302	8'H	22 lbs
301304	10'H	27 lbs

Adjusts from 2" to 12". Fills odd sized spaces to eliminate need for special panels. Not recommended at doors or walls.



Galvanized top cap. Pre-punched to span more than one panel.

Standard floor shoes.

Floor shoes with set screw are optional.



Sliding Doors

Single sliding doors fit most needs. Doors are 7' high with transom or full height. These doors are complete and ready to install. Doors are mounted outside. Closes to the right or left. Allow 1' from corner.

Padlock lugs are standard. Cylinder lock optional on all doors, order part no. 301406 (lock) and 301504 (receiver).

Track adds 6" to height on full height doors. Shipped KD.



Part No	Dimensions	Weight
SLIDING DOORS W/TRANSOM		
300452	3'W x 8'H (1' Transom)	94 lbs
300458	4'W x 8'H (1' Transom)	108 lbs
300464	5'W x 8'H (1' Transom)	123 lbs
300470	6'W x 8'H (1' Transom)	179 lbs
300454	3'W x 10'H (3' Transom)	106 lbs
300460	4'W x 10'H (3' Transom)	118 lbs
300466	5'W x 10'H (3' Transom)	135 lbs
300472	6'W x 10'H (3' Transom)	202 lbs

Part No	Dimensions	Weight
FULL HEIGHT SLIDING DOORS		
300551	3'W x 7'H	111 lbs
300563	5'W x 7'H	143 lbs
300569	6'W x 7'H	197 lbs
300575	8'W x 7'H	230 lbs
300581	10'W x 7'H	262 lbs
300552	3'W x 8'H	117 lbs
300564	5'W x 8'H	154 lbs
300570	6'W x 8'H	210 lbs
300576	8'W x 8'H	245 lbs
300582	10'W x 8'H	278 lbs
300554	3'W x 10'H	130 lbs
300566	5'W x 10'H	167 lbs
300572	6'W x 10'H	238 lbs
300578	8'W x 10'H	275 lbs
300584	10'W x 10'H	305 lbs



Hinged Doors

Hinged doors are 7' high without transom. Doors are complete and ready to install. Standard doors are hinged left - swing out, but can be reversed to hinged right - swing in.

Padlock lugs are standard. Cylinder lock optional on all doors, order part no. 301402.

Shipped KD.

Part No	Dimensions	Weight
300721	3'W x 7'H (No transom)	61 lbs
300727	4'W x 7'H (No transom)	68 lbs
300722	3'W x 8'H (1' Transom)	67 lbs
300728	4'W x 8'H (1' Transom)	75 lbs
300724	3'W x 10'H (3' Transom)	72 lbs
300730	4'W x 10'H (3' Transom)	79 lbs




Dutch Doors

Doors are all 7' high, hinged left swing out only. Comes complete and ready to install.

Service shelf is 8" deep. Padlock lugs standard. Optional cylinder lock on bottom leaf. Shipped KD.

Part No	Dimensions	Weight
300871	3'W x 7'H (No transom)	76 lbs
300872	3'W x 8'H (1' Transom)	82 lbs
300874	3'W x 10'H (3' Transom)	87 lbs



Service Window

Service window can be secured open or closed. Opening 24"W x 20"H, with an 8" deep shelf. Panel is extra. Factory Installed.

Part No	Dimensions	Weight
300376	24"W x 20"H	35 lbs



Drop Shelf


Drop shelf can be secured open or closed. Opening is 24"W x 15"H. Panel is extra. 4' wide panel recommended. Factory Installed.

Part No	Dimensions	Weight
300377	24"W x 15"H	34 lbs



How to layout your enclosure

1. Make a sketch of the area showing L x W x H of the enclosure.
2. Locate doors
3. Is ceiling required?
4. Cylinder locks or padlock lugs (standard)?
5. Paint finish?
Standard is Dark Gray.



JESCO ENCLOSURE™

MADE IN
USA



Wire mesh partitions are double crimped, securely interwoven and clinched on drawn metal frames, creating a strong, durable, and stable product. Provides clear visibility and maximum ventilation.

We offer a complete line of standard wire mesh enclosures in 1½" 10 gauge diamond wire mesh.

These units are available in a variety of sizes to meet your needs and are easy to assemble.

Modular design allows you to expand or relocate as necessary. Assembles with a minimal amount of tools.

Cages are equipped with slide door and transoms. Padlock lugs are standard.

Cylinder lock, floor anchors and wall anchors are optional extras.

Painted dark gray. Shipped KD.

Technical Data

Mesh: 1½" diamond woven wire mesh, 10 gauge

Frame: 1¼" x 5⁄8" channel

Corner angle: 1¼" x 1¼" x 1⁄8"

Channel line post: 4" formed

Cap channel: 10' length, galvanized

Hardware: Zinc plated

Sweep space: 2½"



Enclosures without ceiling

Dimensions	Part No	Weight	Part No	Weight	Part No	Weight
	2 SIDED ENCLOSURE		3 SIDED ENCLOSURE		4 SIDED ENCLOSURE	
10'L x 10'W x 8'H	375955	285 lbs	376105	395 lbs	376255	512 lbs
10'L x 10'W x 10'H	375960	326 lbs	376110	456 lbs	376260	595 lbs
10'L x 20'W x 8'H	375975	387 lbs	376125	497 lbs	376275	716 lbs
10'L x 20'W x 10'H	375980	446 lbs	376130	576 lbs	376280	835 lbs
15'L x 20'W x 8'H	375985	443 lbs	376135	605 lbs	376285	824 lbs
15'L x 20'W x 10'H	375990	512 lbs	376140	702 lbs	376290	955 lbs
20'L x 20'W x 8'H	375995	497 lbs	376145	701 lbs	376295	920 lbs
20'L x 20'W x 10'H	376000	566 lbs	376150	816 lbs	376300	1075 lbs
20'L x 30'W x 8'H	376035	597 lbs	376185	851 lbs	376340	1130 lbs
20'L x 30'W x 10'H	376040	692 lbs	376190	942 lbs	376345	1321 lbs

Enclosures with ceiling

Dimensions	Part No	Weight	Part No	Weight	Part No	Weight
	2 SIDED ENCLOSURE		3 SIDED ENCLOSURE		4 SIDED ENCLOSURE	
10'L x 10'W x 8'H	375505	427 lbs	375655	546 lbs	375805	670 lbs
10'L x 10'W x 10'H	375510	469 lbs	375660	594 lbs	375810	753 lbs
10'L x 20'W x 8'H	375525	655 lbs	375675	770 lbs	375825	1006 lbs
10'L x 20'W x 10'H	375530	711 lbs	375680	849 lbs	375830	1125 lbs
15'L x 20'W x 8'H	375535	883 lbs	375685	1052 lbs	375835	1288 lbs
15'L x 20'W x 10'H	375540	942 lbs	375690	1149 lbs	375840	1425 lbs
20'L x 20'W x 8'H	375545	1072 lbs	375695	1295 lbs	375845	1539 lbs
20'L x 20'W x 10'H	375550	1143 lbs	375700	1410 lbs	375850	1686 lbs
20'L x 30'W x 8'H	375585	1480 lbs	375735	1710 lbs	375885	2064 lbs
20'L x 30'W x 10'H	375590	1575 lbs	375740	1831 lbs	375890	2247 lbs

JESCO® AISLE GARD

MADE IN USA

This system incorporates 3' high panels with 3'6" high posts to provide an inexpensive method of defining aisles and work areas. Installs easily using hand tools. Comes complete with interconnecting and anchoring hardware. Posts feature plastic top caps. Sweep space is 6". Panels are painted dark gray, posts are yellow.



Part No	Length	Weight
PANELS		
390201	10'W	53 lbs
390211	9'W	48 lbs
390221	8'W	44 lbs
390231	7'W	39 lbs
390241	6'W	34 lbs
390251	5'W	30 lbs
390261	4'W	25 lbs
390271	3'W	20 lbs
390281	2'W	15 lbs
390291	1'W	11 lbs


Part No	Type	Height	Weight
POSTS			
392971	Line post	42"	10 lbs
392981	Corner/3-4 way post	42"	10 lbs

JESCO® FOLDING SECURITY GATES

Improves security and controls traffic without restricting light or air flow. Folds and swings out of the way. 3/4" steel channel construction. Double gates have drop pin (cane bolt) at the center to prevent gate movement. Rolls on casters and can be surface mounted or recessed. Each gate is equipped with a lock system that will accept a standard padlock (not included). Brackets are included. Painted black.

Non-expanded heights shown. Gates lose 1" in height per foot when opened.

MADE IN USA



Part No	Dimensions	Weight
DOOR GATES		
*340400	4'W x 5'11"H	28 lbs
*340440	4'W x 5'11"H	35 lbs
*340460	4'W x 6'4"H	39 lbs
*340470	4'W x 6'7"H	46 lbs
*340490	4'W x 6'11"H	50 lbs

* Can ship by UPS.

Part No	Dimensions	Weight
DOUBLE DOORS		
*340600	8'W x 6'6"H	90 lbs
340630	8'W x 8'H	120 lbs
*340650	10'W x 6'6"H	100 lbs
*340660	10'W x 7'H	110 lbs
340680	10'W x 8'H	130 lbs
*340700	12'W x 6'6"H	110 lbs
340730	12'W x 8'H	140 lbs
340750	14'W x 6'6"H	160 lbs
340780	14'W x 8'H	190 lbs
340800	16'W x 6'6"H	170 lbs
340830	16'W x 8'H	200 lbs

* Can ship by UPS.

Part No	Dimensions	Weight
SINGLE DOORS		
*340100	5'6"W x 5'6"H	45 lbs
*340110	5'6"W x 6'H	50 lbs
*340120	5'6"W x 6'6"H	55 lbs
*340130	5'6"W x 7'H	60 lbs
340150	5'6"W x 8'H	70 lbs
*340160	6'6"W x 5'6"H	55 lbs
*340180	6'6"W x 6'6"H	65 lbs
*340190	6'6"W x 7'H	75 lbs
340210	6'6"W x 8'H	100 lbs
*340220	7'6"W x 5'6"H	75 lbs
*340230	7'6"W x 6'H	80 lbs
*340240	7'6"W x 6'6"H	90 lbs
*340250	7'6"W x 7'H	105 lbs
340270	7'6"W x 8'H	130 lbs

* Can ship by UPS.

JESCOGARD®

MADE IN USA



Lift out rails shown



Standard rails shown

JESCOGARD® acts as both a visual and physical barrier to help protect people and property such as aisles, docks, conveyors and other equipment.

Standard rails are designed and tested to stop a 10,000 lbs load impacting at 4 mph from breaking through. **Lift out rails and hinge gates are not impact rated.** Rails and gates are measured from center to center of the 4 inch square tube posts.


All hardware is included and is shipped in crates. Plastic top caps are standard. Steel caps available at extra cost.

Painted safety yellow.

Part No	Dimensions	Post Type	Weight
POSTS			
131103	18"H	Single	39 lbs
131123	42"H	Double	64 lbs
HINGE GATE			
131130	44"	Requires 2 double posts	160 lbs

Part No	Dimensions	Rail Type	Weight
RAILS			
131003	10'L	Standard	99 lbs
131013	8'L	Standard	80 lbs
131023	6'L	Standard	62 lbs
131043	4'L	Standard	42 lbs
131006	10'L	Lift out	108 lbs
131016	8'L	Lift out	96 lbs
131026	6'L	Lift out	77 lbs
131046	4'L	Lift out	58 lbs

Technical Data
 Rails: 11 gauge formed, 3 ribs
 Posts: 4" x 4" x 1/4" square tube
 Base plates: 10" x 10" x 3/8"
 Sleeve anchors: (4) 3/4" x 6 1/4" long



Lift out rails shown



Hinge gate shown. Posts not included.



Lift out rails shown

JESCOGARD®

Machinery and Rack Guards

Applications to protect your expensive racking, electrical panels, production equipment, fire suppression system panel, and machinery.

Available in 36" and 48" lengths, 10", 24" and 42" heights.

All joints are continuously welded.

Anchors not included.

Painted safety yellow. Bolted to pallet or skid for shipping.



Technical Data

Tube: 5" x 5" x 3/16"
 Base: 10" x 10" 5/8"
 Recommended sleeve anchors: 3/4" x 6 1/4"



Part No	Dimensions	Weight
131751	36"W x 10"H	78 lbs
131753	48"W x 10"H	90 lbs
131761	36"W x 24"H	105 lbs
131763	48"W x 24"H	116 lbs
131771	36"W x 42"H	140 lbs
131773	48"W x 42"H	151 lbs

Extra Heavy Duty Welded Rail System


Designed to meet your most severe guarding needs around pallet racks, high traffic areas, and pedestrian walkways.

All joints are continuously welded for maximum strength.

Welded rail system has open ends but optional end caps are available.

Anchors not included.

Painted safety yellow. Bolted to pallet or skid for shipping.



Technical Data

Tube: 4" x 4" x 7 gauge
 Base: 10" x 10" 5/8"
 Recommended sleeve anchors: 3/4" x 6 1/4"



Part No	Rail Type	Dimensions	Weight
131601	Single	48"W x 15"H	90 lbs
131603	Single	72"W x 15"H	110 lbs
131605	Single	96"W x 15"H	130 lbs
131611	Double	48"W x 29 1/2"H	139 lbs
131613	Double	72"W x 29 1/2"H	209 lbs
131615	Double	96"W x 29 1/2"H	278 lbs
131621	Triple	48"W x 44"H	192 lbs
131623	Triple	72"W x 44"H	288 lbs
131625	Triple	96"W x 44"H	384 lbs
131631	Single, Corner	42"W x 15"H	135 lbs
131633	Double, Corner	42"W x 29 1/2"H	220 lbs
131635	Triple, Corner	42"W x 44"H	305 lbs

jescogARD®


Posts

Posts help protect equipment and personnel. Complete with cap and floor anchors.
Painted yellow. Special heights are available.


Technical Data

Tube: 4" x 4" 1/4"
Base: 10" x 10" 5/8"
Caps and floor anchors included.

Part No	Height	Weight
131210	18"	36 lbs
131220	42"	60 lbs



Heavy Duty Post Protectors



Help protect your storage racks from forklift damage. 5" wide x 4 1/2" deep.
Base plate is 1/4" x 6" x 8". All welded construction.

Anchors not included.

Part No	Height	Weight
131812	12"	13 lbs
131818	18"	18 lbs
131824	24"	23 lbs

Heavy Duty Lift Out Rail System

Protect your valuable assets and equipment with this easy to install system. Great for defining walkways.

Lift out rails allow quick access for maintenance and replacement of damaged parts. Not impact rated. Anchors not included, 1/2" x 2" recommended.

Painted safety yellow.



Part No	Type	Height	Weight
POSTS			
131721	Inline Post	20"	16 lbs
131722	Corner Post	20"	16 lbs
131723	End Post	20"	14 lbs
131727	Inline Post	42"	27 lbs
131728	Corner Post	42"	27 lbs
131729	End Post	42"	24 lbs

Technical Data

Posts: 3" x 3" 1/8" Tube
Base: 8" x 8" 1/4"
Rails: 4" x 2" x 1/8" Tube

Part No	Length	Weight
RAILS		
131704	4'	18 lbs
131706	6'	28 lbs
131708	8'	37 lbs
131710	10'	47 lbs

Modular Safety Rails

This modular safety rail system is easy to install on mezzanines, overhead walkways or aisle ways.

Anchors not included, 1/2" x 2" recommended.

Not impact rated.

Painted safety yellow.

Technical Data

Tube: 2" square
Height: 42"
Kick plate: 4" OSHA Standard



Part No	Rail Type	Dimensions	Weight
131901	With kickplate	4'L X 42"H	43 lbs
131905	Without kickplate	4'L X 42"H	33 lbs

JESCOGARD®

Heavy Duty End Rack Guards

Many facilities use rack ends as a staging or holding area for pallets prior to their final placement. This new welded product was designed to protect end rack areas from damage which may occur when a forklift tries to test your rack ends.

Made of 1/4" steel plate, these units are 36" high x 51" overall length x 8" overall width at the base (4 1/2" ID). 3-gussets in nose of guard.
Twelve 9/16" diameter holes for anchoring. 1/2" x 2 3/4" anchors recommended.
Sold in pairs of left and right side guards. Painted safety yellow.




Part No	Height	Width	Length	Weight
131830	36"	8"	51"	384 lbs

Economy Rail System

Our Economy Rail System is manufactured from 11 gauge steel with a 2 rib 9 9/16" corrugated rail and 10 inch square x 1/2" base plates with four 1 inch anchor holes. It is an economical protection system to protect your assets without compromising quality.


The rails are available in standard bolt-on or lift-out rails where access is required. **Standard rail are impact rated 10,000 lbs at 4 mph. Lift-out rails are not impact rated.** Rails and gates are measured from center to center of the 4 inch square tube posts. Available in 18" single rail height or 42" double rail height. Rail mounting hardware and four 3/4" x 6 1/4" masonry anchors included. Rails and posts are painted safety yellow.



Part No	Type	Length	Weight
RAILS			
133003	Standard	10'	71 lbs
133013	Standard	8'	57 lbs
133023	Standard	6'	43 lbs
133043	Standard	4'	30 lbs
133006	Lift out	10'	70 lbs
133016	Lift out	8'	56 lbs
133026	Lift out	6'	43 lbs
133046	Lift out	4'	29 lbs

Part No	Dimensions	Post Type	Weight
POSTS			
133103	18"H	Single	32 lbs
133123	42"H	Double	51 lbs
HINGE GATE			
133635	44"	Double, not included	100 lbs

Technical Data
 Rails: 11 gauge formed, 2 ribs
 Posts: 4" x 4" x 3/16" square tube
 Base plates: 10" x 10" x 1/2"
 Sleeve anchors: (4) 3/4" x 6 1/4" long



Marlin Stainless Steel Wire Baskets

Rectangular material handling basket with handles and mesh. Ideal for washing parts, parts degreasing, cleaning, curing, and materials handling in a variety of applications such as chemical bath, heat treating, and cryogenics. The baskets have handles for easy gripping. Each basket stacks so that parts do not get crushed inside the basket. Natural stainless steel finish. Patent Number D860648 S.

Part No	Mesh Size	Dimensions	Handle Height	Weight
630010	1/4"	16"L x 10"W x 4 1/2"H	6"	7 1/2 lbs
630020	1/2"	16"L x 10"W x 4 1/2"H	6"	7 1/4 lbs
630030	1/4"	21"L x 13 1/4"W x 6"H	7.5"	11 3/4 lbs
630040	1/2"	21"L x 13 1/4"W x 6"H	7.5"	10 3/4 lbs
630050	1/2"	24"L x 13 1/4"W x 6"H	7.5"	12 3/4 lbs



MADE IN
USA

jesco® CORRUGATED STEEL CONTAINERS

Corrugated Bulk Steel Containers are standard quick delivery units that come in many different sizes with a standard nominal inside height of 18" or 24". Constructed of 13 gauge corrugated sheet steel on all four sides, 12-13 gauge corrugated sheet steel bottom. Heavy duty corner assemblies of 2" x 2" x 3/16" angle iron, 7 gauge stacking targets and 4" legs. Sides and bottom are designed to contain a maximum of 4000 lbs of bulk material and the corner assemblies are designed to hold fully loaded units stacked five high. All welded combination will provide dependable use for years. Standard finish is unpainted.

Color options: Blue, teal, light gray, black, green. **Custom color prices on request.**

Other options available: Runners, card holders, crane lugs, roll-over stirrups or fork pockets.

MADE IN
USA

Part No	Dimensions	Capacity	Bottom Thickness	Weight
540001	30"L x 24"W x 18"H	7.5 cu. ft.	13 gauge	100 lbs
540005	30"L x 30"W x 18"H	9.3 cu. ft.	13 gauge	110 lbs
540011	35"L x 30"W x 18"H	10.9 cu. ft.	13 gauge	120 lbs
540015	42"L x 30"W x 18"H	13.1 cu. ft.	13 gauge	132 lbs
540025	35"L x 35"W x 18"H	12.7 cu. ft.	13 gauge	132 lbs
540031	42"L x 35"W x 18"H	15.3 cu. ft.	13 gauge	152 lbs
540035	48"L x 35"W x 18"H	17.5 cu. ft.	13 gauge	163 lbs
540041	42"L x 42"W x 18"H	18.4 cu. ft.	12 gauge	159 lbs
540045	48"L x 42"W x 18"H	21.0 cu. ft.	12 gauge	184 lbs
540051	48"L x 48"W x 18"H	24.0 cu. ft.	12 gauge	197 lbs
540101	30"L x 24"W x 24"H	10.0 cu. ft.	13 gauge	120 lbs
540105	30"L x 30"W x 24"H	12.5 cu. ft.	13 gauge	133 lbs
540111	35"L x 30"W x 24"H	14.5 cu. ft.	13 gauge	144 lbs
540115	42"L x 30"W x 24"H	17.5 cu. ft.	13 gauge	160 lbs
540125	35"L x 35"W x 24"H	17.0 cu. ft.	13 gauge	156 lbs
540131	42"L x 35"W x 24"H	20.4 cu. ft.	13 gauge	180 lbs
540135	48"L x 35"W x 24"H	23.3 cu. ft.	13 gauge	192 lbs
540141	42"L x 42"W x 24"H	24.5 cu. ft.	12 gauge	190 lbs
540145	48"L x 42"W x 24"H	28.0 cu. ft.	12 gauge	216 lbs
540151	48"L x 48"W x 24"H	32.0 cu. ft.	12 gauge	231 lbs



Shown with optional hopper front. Only available on 24" high models.



Optional half drop gate on long side. Only available on 24" high models.



24" corrugated steel container.

Marlin Steel Wire Baskets



Heavy duty parts baskets with square handles, and two mesh sizes, 1/4" and 1/2". All Baskets have hemmed channel edge. Ideal for storing inventory, carrying and cleaning of small parts. Open mesh construction permits quick and easy drainage.

Stackable up to 5 high at 75 lbs. capacity per basket. Zinc plated mild steel. Handle adds 1 3/4" to overall height.

Boxed product. May be classed as oversized by small package carriers.

Patent Number D860648 S.



Part No	Mesh Size	Handle Height	Basket Dimensions	Weight
630210	1/4"	6 1/4"	16"L x 10"W x 4 1/2"H	8 lbs
630220	1/2"	6 1/4"	16"L x 10"W x 4 1/2"H	8 lbs
630230	1/4"	7 3/4"	21"L x 13 1/4"W x 6"H	12 lbs
630240	1/2"	7 3/4"	21"L x 13 1/4"W x 6"H	11 lbs
630250	1/2"	7 3/4"	24"L x 13 1/4"W x 6"H	13 lbs

jesco® BUNK TRUCKS



These two rugged, all welded units have been designed for easy mobility. Corner posts are removable for ease of loading and unloading of materials. For drywall, bunks of lumber, panels etc.



Heavy Duty
3500 lbs capacity

This model has four 1" x 43" corner posts which are removable. Four 6" phenolic casters (2 rigid, 2 swivel).

Painted Jesco standard blue.



Extra Heavy Duty
6000 lbs capacity

This model can be transported with a fork lift using the integrated fork pockets. Holds a full bunk with 2" clearance. Corner posts are 2" square removable tubes for easy unloading. Four 6" swivel casters and two 10" load wheels. All wheels are phenolic. Turns on its own length. Painted Jesco standard blue.

Part No	Type	Dimensions	Deck Height	Weight
110486	Heavy duty	84"L x 54"W x 53"H	11"	207 lbs
110485	Extra heavy duty	84"L x 55"W x 55"H	14"	381 lbs

jesco® TUBE-BAR-ROD-STOCK TRUCKS

These 8 models are designed and constructed of heavy 3" channel frames to handle loads up to 10,000 lbs. Three cradles are standard. 8"D x 2"W swivel casters and 10"D x 3"W load wheels are phenolic for easy movement. Trucks turn on their own length. Works well for loading and unloading of materials.

Elevated holding to accommodate forklift loading and unloading. Units are 28" wide x 29" high. Painted Jesco standard blue. **Balance load equally. Use on flat, hard surfaces only.** Palletized for shipping.

Standard Models

Part No	Dimensions	Capacity	Load Wheels	Weight
110696	60"L x 28"W x 29"H	4000 lbs	10"D x 3"W	222 lbs
110697	96"L x 28"W x 29"H	4000 lbs	10"D x 3"W	272 lbs
110698	96"L x 28"W x 29"H	10000 lbs	12"D x 3"W	283 lbs
110699	120"L x 28"W x 29"H	10000 lbs	12"D x 3"W	316 lbs



MADE IN
USA



Saddle Models

Part No	Dimensions	Capacity	Load Wheels	Weight
110655	60"L x 28"W x 29"H	4000 lbs	10"D x 3"W	260 lbs
110660	96"L x 28"W x 29"H	4000 lbs	10"D x 3"W	309 lbs
110670	96"L x 28"W x 29"H	10000 lbs	12"D x 3"W	321 lbs
110675	120"L x 28"W x 29"H	10000 lbs	12"D x 3"W	359 lbs

jesco® BAR ROD TRUCKS



Perfect for staging materials at each work cell or for pulling inventory. Safely transports and stores pipes, bars, angles, wooden posts, rails, and other long material. The 13 gauge solid steel deck is a perfect place to transport smaller parts and packages while holding the longer pieces on the upper levels.

3600 lbs capacity.

Painted Jesco standard blue.

Technical Data

1½" square tube, 11 gauge
13 gauge deck
3600 lbs capacity

Part No	Dimensions	Weight
111110	48"L x 36"W x 60"H	264 lbs
111130	72"L x 36"W x 60"H	294 lbs

MADE IN
USA

From the simplest to the complex, Jesco does it best!

If you don't find a unit to meet your needs from our large selection of standard models, just give us a call and we will design and build a unit to meet your specific requirements. Pictured below are just a few of the special hoppers we've manufactured over time:

SPECIALS



Stacking/Holding Carts for the Plastic Pipe industry, special designed to work with their existing cantilever rack system



Special self dumping hopper with heavy duty structural base and hood. For use in glass recycling facilities.



Special low profile 12' wide self dumping hopper used to handle long strips in shearing operation.



Tapered front self dumping hopper with special low clearance outrigger base and heavy duty 3-way entry fork tubes.



Towable rollover container with drop gate. Used in waste treatment plant.



Special low profile chip & waste truck. Designed to fit under turning machine or press.




Extra heavy duty container fabricated from 3/8" plate. Designed for transport with overhead crane and to be emptied with rollover attachment on forklift. Used by bearing manufacturer.

jesco® Steel Pan Dolly

Tough, all steel dollies for every day use. Perfect for moving light machinery, bulk cases, or heavy cartons. Solid smooth steel deck with lips turned down.

- Single piece formed deck, 13 gauge steel
- 3" polyolefin swivel casters
- 840 lbs capacity



Part No	Dimensions	Weight
143312	24"L x 18"W x 3 ³ / ₄ "H	22 lbs
143322	30"L x 18"W x 3 ³ / ₄ "H	23 lbs
143372	36"L x 24"W x 3 ³ / ₄ "H	32 lbs



jesco® Platform Truck

Designed to carry your heaviest loads, these trucks feature all welded construction, one piece 13 gauge formed steel deck with 2" lips formed down for extra strength, 11 gauge formed steel caster mount, reinforced pipe handle sockets, removable 2 slat pipe push handle. Casters are bolted on for easy replacement.

Heavy duty models (HD) feature 5" x 1¹/₄" polyurethane casters (1000 lbs capacity) while the extra heavy duty (EHD) models feature 6" x 2" moldon rubber casters (2000 lbs capacity) and a reinforced deck.

Deck height for HD models is 8³/₄" and 10¹/₄" for EHD models.

Palletized for shipping. Painted Jesco standard blue.

Part No	Type	Dimensions	Weight
102775	HD	36"L x 24"W x 8 ³ / ₄ "H	60 lbs
102795	HD	48"L x 24"W x 8 ³ / ₄ "H	77 lbs
102845	HD	60"L x 30"W x 8 ³ / ₄ "H	86 lbs
102855	HD	72"L x 30"W x 8 ³ / ₄ "H	115 lbs
10277B	EHD	36"L x 24"W x 10 ¹ / ₄ "H	85 lbs
10279B	EHD	48"L x 24"W x 10 ¹ / ₄ "H	102 lbs
10284B	EHD	60"L x 30"W x 10 ¹ / ₄ "H	121 lbs
10285B	EHD	72"L x 30"W x 10 ¹ / ₄ "H	140 lbs



5" x 1¹/₄" polyurethane casters shown.

jesco® Pneumatic Tired Platform Truck

These trucks are recommended for the greatest possible protection in transporting fragile items. Available with or without non-slip rubber matting. All welded construction, one piece 13 gauge formed steel deck with 2" lips formed down, 11 gauge formed steel caster mounts, removable 2 slat handle. 8" pneumatic casters are bolted on for easy replacement.

12³/₄" deck height. 1200 lbs capacity.

Palletized for shipping. Painted Jesco standard blue.

Part No	Deck	Dimensions	Weight
10277T	Plain	36"L x 24"W x 12 ³ / ₄ "H	84 lbs
10279T	Plain	48"L x 24"W x 12 ³ / ₄ "H	101 lbs
10284T	Plain	60"L x 30"W x 12 ³ / ₄ "H	120 lbs
10285T	Plain	72"L x 30"W x 12 ³ / ₄ "H	139 lbs
10297T	Non-slip	36"L x 24"W x 12 ³ / ₄ "H	89 lbs
10299T	Non-slip	48"L x 24"W x 12 ³ / ₄ "H	107 lbs
10304T	Non-slip	60"L x 30"W x 12 ³ / ₄ "H	131 lbs
10305T	Non-slip	72"L x 30"W x 12 ³ / ₄ "H	153 lbs



jesco[®] MACHINE STANDS

MADE IN
USA

Use these stands for mounting tools or as a work bench.

All welded construction, fully assembled and ready to use. 13 gauge sheet steel decks with 2" lips formed down, 1 1/2" x 1 1/2" x 3/16" angle framework

30" overall height. 22" Shelf spacing. 1000 lbs capacity.

Palletized for shipping. Painted Jesco standard blue.



Part No	Dimensions	Weight
141970	24"L x 36"W x 30"H	77 lbs
141990	24"L x 48"W x 30"H	108 lbs
142040	30"L x 60"W x 30"H	160 lbs

jesco[®] HEAVY DUTY DIE STORAGE RACK

These units are designed to handle small dies, fixtures or tools near a work station or in your tool crib. Accessible from all sides.

All welded construction for extra strength, fully assembled. Corner posts are made of 2" angle and shelves are formed from one piece of 13 gauge sheet metal. The shelves feature rounded corners.

Load capacity is 1600 lbs per shelf based on even distribution because of extra channel support under each shelf.

All set up and ready to use.

Painted Jesco standard blue.

Note: We build custom sizes.



Part No	Dimensions	Shelves	Weight
175211	36"L x 24"W x 60"H	3 - 26" spacing	124 lbs
175221	48"L x 24"W x 60"H	3 - 26" spacing	150 lbs
175311	36"L x 24"W x 60"H	4 - 16 ⁵ / ₈ " spacing	153 lbs
175321	48"L x 24"W x 60"H	4 - 16 ⁵ / ₈ " spacing	188 lbs
175411	36"L x 24"W x 72"H	5 - 15" spacing	188 lbs
175421	48"L x 24"W x 72"H	5 - 15" spacing	232 lbs
175511	36"L x 24"W x 72"H	6 - 11 ¹ / ₂ " spacing	218 lbs
175521	48"L x 24"W x 72"H	6 - 11 ¹ / ₂ " spacing	234 lbs

MADE IN
USA

jesco® INDUSTRIAL STORAGE LOCKER

All welded Industrial Storage Locker securely stores your tools and supplies. Manufactured with 3/4-13 expanded metal, 1 1/4" x 1 1/4" x 1/8" angle frame, 11 gauge formed metal base, double hinge doors with padlock hasp.

Unit as shown with one shelf, also available without shelves and with two shelves.


Full ventilation and air circulation. Take a quick inventory of the locker contents without obstructions to block your view.

Standard color is Dark Gray. Optional colors: Light Gray, OSHA Blue, Black.

Palletized for shipping.

Options: Additional shelves, coat hooks (3) with support bracket.

Part No	Dimensions	Shelves	Weight
383510	24"L x 48"W x 78"H	0	255 lbs
383520	24"L x 48"W x 78"H	1	285 lbs
383530	24"L x 48"W x 78"H	2	325 lbs
383710	30"L x 60"W x 78"H	0	315 lbs
383720	30"L x 60"W x 78"H	1	365 lbs
383730	30"L x 60"W x 78"H	2	420 lbs



jesco® SECURITY PACKAGE TRUCKS

All welded construction will provide many years of service. Wire mesh provides high visibility along with air circulation. Mesh is securely welded to framework. Push handle on swivel caster end. Casters are bolted on which allows for easy replacement. Double hinge doors with padlock hasp. Your choice of selecting additional shelves or no upper shelves in the unit. Painted Jesco standard blue. Palletized for shipping.

Additional shelves optional. Optional Colors: Light Gray, Dark Gray, Black, Vista Green.



Technical Data

Shelves: 13 gauge formed steel shelves with 2" lips
 Wire Mesh: 2" x 1" x 10 gauge, woven
 Frame: 1 1/2" x 1 1/2" x 3/16" angle
 Caster mounts: 11 gauge formed channel
 Casters: 6" x 2" Phenolic, bolted on
 Weight capacity: 2000 lbs



MADE IN USA

Part No	Dimensions	Weight
1 SHELF - Bottom		
14119C	48"L x 24"W x 72 ³ / ₄ "H	258 lbs
14124C	60"L x 30"W x 72 ³ / ₄ "H	358 lbs
14127C	60"L x 36"W x 72 ³ / ₄ "H	367 lbs

Part No	Dimensions	Weight
3 SHELVES, 15 1/2" SPACING		
14139C	48"L x 24"W x 72 ³ / ₄ "H	340 lbs
14144C	60"L x 30"W x 72 ³ / ₄ "H	472 lbs
14147C	60"L x 36"W x 72 ³ / ₄ "H	525 lbs

JESCO[®] INSTRUMENT TRUCKS



These trucks are designed to transport fragile or sensitive parts from one location to another in your facility. 8" pneumatic casters provide maximum cushioning and a smooth ride.

Features include 13 gauge formed steel shelves with 2" lips formed down for extra strength (lip up optional on 2 shelf units) . 1 1/2" x 1 1/2" x 3/16" angle framework. 11 gauge formed steel caster mounts.

Push handle on swivel caster end. Non slip black rubber matting is secured to shelves. Furnished with 8" tubeless pneumatic casters. Casters are bolted on for easy replacement.

Painted Jesco standard blue. Palletized for shipping.

- 2 Shelves
- 1200 lbs capacity
- 39 3/4" High, 31 3/4" deck height
- 16" Shelf spacing

Part No	Dimensions	Weight
10337T	36"L x 24"W x 39 3/4"H	137 lbs
10339T	48"L x 24"W x 39 3/4"H	157 lbs
10344T	60"L x 30"W x 39 3/4"H	211 lbs
10347T	60"L x 36"W x 39 3/4"H	235 lbs



- 2 Shelves
- 1200 lbs capacity
- 36" High
- 20 1/4" Shelf spacing

Part No	Dimensions	Weight
10317T	36"L x 24"W x 36"H	137 lbs
10319T	48"L x 24"W x 36"H	156 lbs
10324T	60"L x 30"W x 36"H	210 lbs
10327T	60"L x 36"W x 36"H	233 lbs

- 3 Shelves
- 1200 lbs capacity
- 57 3/4" High
- 20" Shelf spacing

Part No	Dimensions	Weight
10357T	36"L x 24"W x 57 3/4"H	183 lbs
10359T	48"L x 24"W x 57 3/4"H	214 lbs
10364T	60"L x 30"W x 57 3/4"H	292 lbs
10367T	60"L x 36"W x 57 3/4"H	325 lbs



JESCO® PORTABLE WORK BENCHES

The low height and unobstructed top make these units the ideal portable work benches. Units feature all welded construction, 13 gauge formed steel shelves with 2" lips formed down for extra strength. Casters are bolted on for easy replacement. Painted Jesco standard blue.

MADE IN
USA

Heavy Duty

- 5" x 1 1/4" Polyurethane casters
- 30 3/4" Overall height
- 1000 lbs capacity



Part No	Dimensions	Shelves	Weight
101975	36"L x 24"W x 30 3/4"H	2 - 20" spacing	99 lbs
101995	48"L x 24"W x 30 3/4"H	2 - 20" spacing	117 lbs
102045	60"L x 30"W x 30 3/4"H	2 - 20" spacing	160 lbs
102055	72"L x 30"W x 30 3/4"H	2 - 20" spacing	180 lbs
102075	60"L x 36"W x 30 3/4"H	2 - 20" spacing	183 lbs
102085	72"L x 36"W x 30 3/4"H	2 - 20" spacing	211 lbs
102575	36"L x 24"W x 30 3/4"H	3 - 9" spacing	128 lbs
102595	48"L x 24"W x 30 3/4"H	3 - 9" spacing	155 lbs
102645	60"L x 30"W x 30 3/4"H	3 - 9" spacing	217 lbs
102655	72"L x 30"W x 30 3/4"H	3 - 9" spacing	247 lbs
102685	60"L x 36"W x 30 3/4"H	3 - 9" spacing	250 lbs
102695	72"L x 36"W x 30 3/4"H	3 - 9" spacing	287 lbs



Extra Heavy Duty

- 2 Shelves reinforced with 3" x 1/2" channel
- 20" Shelf spacing
- 6" x 2" Phenolic casters
- 2000 lbs capacity

Part No	Dimensions	Weight
10217C	36"L x 24"W x 32 1/4"H	126 lbs
10219C	48"L x 24"W x 32 1/4"H	146 lbs
10224C	60"L x 30"W x 32 1/4"H	192 lbs

Super Heavy Duty

- 2 Shelves reinforced with 3" x 1/2" channel
- 20" Shelf spacing
- 4000 lbs capacity
- 8" x 2" Phenolic casters
- Wheel brakes optional

Part No	Dimensions	Weight
10237L	36"L x 24"W x 34 1/4"H	131 lbs
10239L	48"L x 24"W x 34 1/4"H	151 lbs
10244L	60"L x 30"W x 34 1/4"H	197 lbs



JESCO® SHELF TRUCKS

MADE IN
USA

These multi-purpose trucks can be used for moving parts in your warehouse, stock room or shipping department. Durable all welded construction,

13 gauge sheet steel shelves with 2" lips formed down for extra strength, 1 1/2" x 1 1/2" x 3/16" angle framework, 11 gauge formed steel caster mounts and push handle on swivel caster end. 6" x 2" phenolic casters are bolted on for easy replacement.

2000 lbs capacity.

Painted Jesco standard blue.



Part No	Dimensions	Shelves	Weight
13477C	36"L x 24"W x 48 1/4"H	3 - 17" spacing	159 lbs
13479C	48"L x 24"W x 48 1/4"H	3 - 17" spacing	185 lbs
13484C	60"L x 30"W x 48 1/4"H	3 - 17" spacing	248 lbs
13487C	60"L x 36"W x 48 1/4"H	3 - 17" spacing	281 lbs
13488C	72"L x 36"W x 48 1/4"H	3 - 17" spacing	319 lbs
13497C	36"L x 24"W x 61 1/4"H	4 - 15" spacing	196 lbs
13499C	48"L x 24"W x 61 1/4"H	4 - 15" spacing	231 lbs
13504C	60"L x 30"W x 61 1/4"H	4 - 15" spacing	313 lbs
13507C	60"L x 36"W x 61 1/4"H	4 - 15" spacing	356 lbs
13508C	72"L x 36"W x 61 1/4"H	4 - 15" spacing	397 lbs
13517C	36"L x 24"W x 70 1/4"H	5 - 13" spacing	230 lbs
13519C	48"L x 24"W x 70 1/4"H	5 - 13" spacing	274 lbs
13604C	60"L x 30"W x 70 1/4"H	5 - 13" spacing	375 lbs
13607C	60"L x 36"W x 70 1/4"H	5 - 13" spacing	428 lbs
13608C	72"L x 36"W x 70 1/4"H	5 - 13" spacing	490 lbs
13617C	36"L x 24"W x 70 1/4"H	6 - 10" spacing	259 lbs
13619C	48"L x 24"W x 70 1/4"H	6 - 10" spacing	312 lbs
13624C	60"L x 30"W x 70 1/4"H	6 - 10" spacing	432 lbs
13627C	60"L x 36"W x 70 1/4"H	6 - 10" spacing	494 lbs
13628C	72"L x 36"W x 70 1/4"H	6 - 10" spacing	569 lbs

JESCO® SHELF TRUCKS

MADE IN USA

From shipping to receiving and anything in between, these versatile shelf carts adapt easily to stage for small box pickup, or material staging next to your work station. Painted Jesco standard blue. Palletized for shipping.



Heavy Duty

- 13 gauge steel shelves with 2" lips up
- 1 1/2" x 1 1/2" x 3/16" structural angle corners
- 1000 lbs capacity, evenly distributed
- Push handle on swivel caster end
- 5" x 1 1/4" Polyurethane casters
2 rigid, 2 swivel
- Bolted on for easy replacement
- All welded construction

Part No	Dimensions	Shelves	Weight
100175	36"L x 24"W x 35 1/4"H	2 - 24" spacing	91 lbs
100195	48"L x 24"W x 35 1/4"H	2 - 24" spacing	109 lbs
100245	60"L x 30"W x 35 1/4"H	2 - 24" spacing	151 lbs
100275	60"L x 36"W x 35 1/4"H	2 - 24" spacing	173 lbs
100285	72"L x 36"W x 35 1/4"H	2 - 24" spacing	198 lbs
100565	36"L x 24"W x 35 1/4"H	3 - 12" spacing	129 lbs
100585	48"L x 24"W x 35 1/4"H	3 - 12" spacing	155 lbs
100635	60"L x 30"W x 35 1/4"H	3 - 12" spacing	216 lbs
100665	60"L x 36"W x 35 1/4"H	3 - 12" spacing	248 lbs
100675	72"L x 36"W x 35 1/4"H	3 - 12" spacing	285 lbs



Extra Heavy Duty

- 13 gauge reinforced steel shelves with 2" lips up
- 1 1/2" x 1 1/2" x 3/16" structural angle corners
- 2000 lbs capacity
- Push handle on swivel caster end
- 6" x 2" Phenolic casters
2 rigid, 2 swivel
- Bolted on for easy replacement
- All welded construction

Part No	Dimensions	Shelves	Weight
10036C	36"L x 24"W x 36 1/4"H	2 - 24" spacing	124 lbs
10038C	48"L x 24"W x 36 1/4"H	2 - 24" spacing	144 lbs
10043C	60"L x 30"W x 36 1/4"H	2 - 24" spacing	200 lbs
10076C	36"L x 24"W x 36 1/4"H	3 - 12" spacing	153 lbs
10078C	48"L x 24"W x 36 1/4"H	3 - 12" spacing	179 lbs
10083C	60"L x 30"W x 36 1/4"H	3 - 12" spacing	265 lbs

Designed for rugged use in your facility but still may be used in the office. These low profile trucks allow easy handling of bulky items, or for staging raw stock for processing. They feature all welded construction. 13 gauge shelves, spaced 16" apart. 2" lips turned down for extra strength. 1 1/2" x 1 1/2" x 3/16" angle framework. Handle on swivel caster end 8" above deck. 5" x 1 1/4" polyurethane casters are bolted on for easy replacement.

Painted Jesco standard blue.

Palletized for shipping.



Ergonomic handle optional



Heavy Duty

- Two handle options
- 26 3/4" Deck height
- 5" x 1 1/4" Polyurethane casters
- 1000 lbs capacity, evenly distributed

Part No	Handle Type	Dimensions	Weight
101175	Standard	36"L x 24"W x 34 3/4"H	103 lbs
101195	Standard	48"L x 24"W x 34 3/4"H	120 lbs
101245	Standard	60"L x 30"W x 34 3/4"H	164 lbs
101255	Standard	72"L x 30"W x 34 3/4"H	184 lbs
101275	Standard	60"L x 36"W x 34 3/4"H	188 lbs
101285	Standard	72"L x 36"W x 34 3/4"H	213 lbs
100975	Kick back	36"L x 24"W x 34 3/4"H	103 lbs
100995	Kick back	48"L x 24"W x 34 3/4"H	121 lbs
101055	Kick back	60"L x 30"W x 34 3/4"H	164 lbs
101065	Kick back	72"L x 30"W x 34 3/4"H	185 lbs
101085	Kick back	60"L x 36"W x 34 3/4"H	189 lbs
101095	Kick back	72"L x 36"W x 34 3/4"H	214 lbs

Extra Heavy Duty

- Reinforced shelves
- 6" x 2" Phenolic casters
- 28 1/4" Deck height
- 4000 lbs capacity

Part No	Dimensions	Weight
10137C	36"L x 24"W x 36 1/4"H	130 lbs
10139C	48"L x 24"W x 36 1/4"H	150 lbs
10144C	60"L x 30"W x 36 1/4"H	197 lbs
10147C	60"L x 36"W x 36 1/4"H	221 lbs
10148C	72"L x 36"W x 36 1/4"H	249 lbs



Super Heavy Duty

- Reinforced shelves
- 8" x 2" Phenolic casters
- 30 1/4" Deck height
- 4000 lbs capacity

Part No	Dimensions	Weight
10137L	36"L x 24"W x 38 1/4"H	135 lbs
10139L	48"L x 24"W x 38 1/4"H	155 lbs
10144L	60"L x 30"W x 38 1/4"H	202 lbs
10147L	60"L x 36"W x 38 1/4"H	226 lbs
10148L	72"L x 36"W x 38 1/4"H	254 lbs

JESCO® LOW PROFILE TRUCKS

MADE IN
USA

Dual Handle Heavy Duty

- Dual kick back handles
- 1000 lbs capacity

Dual kick back handles 8" above deck. 5" x 1 1/4" polyurethane casters are bolted on for easy replacement. Deck height is 26 3/4". 16" shelf spacing. Lip up on shelves optional. Painted Jesco standard blue.



Part No	Dimensions	Weight
101775	36"L x 24"W x 34 3/4"H	110 lbs
101795	48"L x 24"W x 34 3/4"H	127 lbs
101845	60"L x 30"W x 34 3/4"H	172 lbs
101875	60"L x 36"W x 34 3/4"H	197 lbs
101885	72"L x 36"W x 34 3/4"H	222 lbs

TERMS AND CONDITIONS

SHIPPING WEIGHT: When estimating freight and weight for collect shipments, this is designed solely to provide you with an estimate of the amount. The actual amount may vary due to a number of factors. When freight is shipped prepaid, the manufacturer will incorporate the price into the basic bid and will be responsible for the charges. Crating is not included. Please call for pricing. 70 lbs or less will go UPS if size allows. 70 lbs. or more will go via truck. Some products are shipped KD.

Packaging: Crating is required on all wire orders. There will be a crate charge on all wire orders.

Damaged Shipments: We inspect all items prior to shipment. You should also inspect the items before accepting delivery. If damage has occurred, it should be noted on the freight bill and a claim filed with the carrier by the party paying the freight bill. We take special care to insure the safe arrival of your merchandise, our responsibility for damages ceases when the shipment is accepted by the carrier. Refusal of an entire shipment for partial damage will make claim filing and replacement more difficult.

Products are fully insured: However, Jesco shall not be liable under any circumstances for consequential or incidental damage including, but not limited to, labor cost or loss of profits arising in connection with the use of, or inability to use products purchased from Jesco.

Special or large orders: Orders must be in writing. These orders are not cancelable or returnable.

Returned goods: (RGA) must be authorized in advance by the factory. All items must be new and unused. A 20% restocking charge shall apply to all products. Non-Stock, special, large order items or nonconforming goods are not returnable.

Terms: Net 30 days to firms with an acceptable credit rating. Orders are invoiced on the day of shipment.

Taxes: Local, state or federal taxes are not included in your cost.

Prices: We reserve the right to make any changes at any time without notice. Steel surcharges may apply to certain products, and will vary depending on current steel market prices. Payment in U.S. funds only.

Engineering changes: We reserve the right to make any changes at any time without notice.

Load Capacity: Load ratings are based on capacity of casters and on the load being evenly placed on unit at all times. Always observe all safety rules when using products. Use on flat, hard surfaces only.

Engineering & Design: These are part of the basic bid. If your order is canceled due to no fault of the manufacturer, and before material is ordered, you will only be charged for engineering and design costs incurred.

JESCO CASTERS



PO: Polyolefin

HR: Hard Rubber

SS: Semi Steel

PH: Phenolic

MR: Moldon Rubber

PU: Polyurethane

FP: Pneumatic

General Duty Casters (250 - 275 lbs. capacity)

Use where economy is desired for light to medium material handling such as dollies, parts bins, portable racks etc.

Wheel	Type	Capacity	Top Plate	Bolt Pattern	Swivel Radius	Height	Swivel Part No	Weight	Rigid Part No	Weight
3"D x 1.25"W	PO	250 lbs	4.1"L x 3.1"W	3.3"L x 2.3"W	2.4"	3.6"	801052	1.50 lbs	---	---
4"D x 1.25"W	HR	275 lbs	4.1"L x 3.1"W	3.3"L x 2.3"W	3.1"	5.0"	802022	3.00 lbs	---	---
5"D x 1.25"W	PU	250 lbs	4.5"L x 4.0"W	3.0"L x 3.0"W	4.0"	6.0"	804062	2.75 lbs	804061	2.25 lbs

Heavy Duty Casters (500 - 1200 lbs. capacity)

Ideal where more capacity is required. For platform trucks, trash containers, stock trucks, carts etc.

Wheel	Type	Capacity	Top Plate	Bolt Pattern	Swivel Radius	Height	Swivel Part No	Weight	Rigid Part No	Weight
4"D x 2"W	SS	700 lbs	4.5"L x 4.0"W	3.6"L x 2.6" or 3"L x 3"W	3.4"	5.6"	803012	7.75 lbs	803011	6.75 lbs
5"D x 2"W	PH	1000 lbs	4.5"L x 4.0"W	3.6"L x 2.6" or 3"L x 3"W	4.1"	6.5"	805042	6.75 lbs	805041	5.75 lbs
5"D x 2"W	MR	500 lbs	4.5"L x 4.0"W	3.6"L x 2.6" or 3"L x 3"W	4.2"	6.5"	805082	7.75 lbs	805081	6.75 lbs
6"D x 2"W	SS	1200 lbs	4.5"L x 4.0"W	3.6"L x 2.6" or 3"L x 3"W	4.7"	7.5"	806012	9.00 lbs	806011	8.00 lbs
6"D x 2"W	PU	1200 lbs	4.5"L x 4.0"W	3.6"L x 2.6" or 3"L x 3"W	4.7"	7.5"	806032	10.50 lbs	806031	9.50 lbs
6"D x 2"W	PH	1200 lbs	4.5"L x 4.0"W	3.6"L x 2.6" or 3"L x 3"W	4.7"	7.5"	806042	7.50 lbs	806041	6.50 lbs
6"D x 2"W	MR	500 lbs	4.5"L x 4.0"W	3.6"L x 2.6" or 3"L x 3"W	4.7"	7.5"	806082	9.00 lbs	806081	8.00 lbs

Heavy Duty Casters (600 - 1500 lbs. capacity)

These casters can be used for portable racks, utility trucks, conveyor operations, box trucks etc.

Wheel	Type	Capacity	Top Plate	Bolt Pattern	Swivel Radius	Height	Swivel Part No	Weight	Rigid Part No	Weight
6"D x 2.5"W	SS	1500 lbs	6.2"L x 4.5"W	5.2"L x 3.3"	4.2"	7.5"	807012	13.25 lbs	807011	12.25 lbs
6"D x 2.5"W	PH	1500 lbs	6.2"L x 4.5"W	5.2"L x 3.3"	4.2"	7.5"	807042	9.75 lbs	807041	8.75 lbs
6"D x 2.5"W	MR	600 lbs	6.2"L x 4.5"W	5.2"L x 3.3"	4.2"	7.5"	807082	12.00 lbs	807081	11.00 lbs
8"D x 2.0"W	SS	1200 lbs	4.5"L x 4.0"W	3.6"L x 2.6" or 3"L x 3"W	6.2"	9.5"	808012	13.75 lbs	808011	12.75 lbs
8"D x 2.0"W	PU	1200 lbs	4.5"L x 4.0"W	3.6"L x 2.6" or 3"L x 3"W	6.2"	9.5"	808032	12.50 lbs	808031	11.50 lbs
8"D x 2.0"W	PH	1200 lbs	4.5"L x 4.0"W	3.6"L x 2.6" or 3"L x 3"W	6.2"	9.5"	808042	8.75 lbs	808041	7.75 lbs
8"D x 2.0"W	MR	600 lbs	4.5"L x 4.0"W	3.6"L x 2.6" or 3"L x 3"W	6.2"	9.5"	808082	11.25 lbs	808081	10.25 lbs

Heavy Duty Casters (1500 lbs. capacity)

Ideal for platform trucks, drag line operations, utility trucks etc.


Wheel	Type	Capacity	Top Plate	Bolt Pattern	Swivel Radius	Height	Swivel Part No	Weight	Rigid Part No	Weight
8"D x 2.5"W	SS	1500 lbs	6.25"L x 4.5"W	5.2"L x 3.3"	6.2"	9.5"	809012	15.75 lbs	809011	14.75 lbs
8"D x 2.5"W	PH	1500 lbs	6.25"L x 4.5"W	5.2"L x 3.3"	6.2"	9.5"	809042	12.00 lbs	809041	11.00 lbs

Full Pneumatic Casters (320 lbs. capacity)

Greatest protection for transporting delicate materials and parts. Roller bearings. 4-ply tires.

Wheel	Type	Capacity	Top Plate	Bolt Pattern	Swivel Radius	Height	Swivel Part No	Weight	Rigid Part No	Weight
8"D x 2.5"W	FP	320 lbs	4.5"L x 4.0"	3.6"L x 2.6" or 3" x 3"	6.2"	11"	810102	9.00 lbs	810101	8.00 lbs

jesco® WORK PLATFORM



Convert your forklift into a work platform.

Base and 4" side curbs are formed from one piece of heavy gauge sheet for extra strength. Back panel is 1/2-#13 expanded metal mesh. Deck has a slip resistant surface. Hinged gate with pin safety lock built in for extra security. Fork channels are on 25" centers with full length tube openings of 7" x 2 3/4". There are safety pins behind each fork and heavy duty chains welded to back frame of platform which secure around fork carriage. 1000 lbs capacity.

Also available fitted with casters, back riser, tool tray and light bulb caddy.

Platforms are painted safety yellow.

Part No	Description	Dimensions	Weight
184002	Standard work platform	40"L x 40"W x 63"H	203 lbs
184003	Set of four 3" polyolefin casters (installed)	---	6 lbs
184004	High back riser w/mounting hardware	40 1/2"W x 24"H	23 lbs
184005	Light bulb caddy	9 3/4"L x 10 3/4"W x 38"H	26 lbs
184006	Tool tray	6"L x 37 7/8"W x 2"H	11 lbs

Multi-Person Work Platforms

2" square tube construction. Base and 4" side curbs are formed from one piece of heavy gauge sheet for extra strength. Back panel is 1/2-#13 expanded metal mesh. Deck has a slip resistant surface. Hinged gate with pin safety lock built in.



Fork channels are on 29" centers with full length tube openings of 7" x 2 3/4". Safety pins behind each fork and heavy duty chains welded to back frame of platform which secure around fork carriage. Safety harness ring at center of back panel.

Painted safety yellow.


Part No	Dimensions	Capacity	Weight
184030	72"L x 40"W x 63"H	1200 lbs	420 lbs
184040	96"L x 40"W x 63"H	1500 lbs	600 lbs
184050	120"L x 40"W x 63"H	1800 lbs	800 lbs

Always observe all safety rules of your company, OSHA, ASME, ANSI and the forklift manufacturer when using these products.


JESCO® NESTING CAPS AND TARGETS

Create your own storage racks from tubing or angle iron by using these nesting caps and targets. Saves time and makes stacking easy for your material storage. Many sizes available. These caps and targets are unpainted. Small quantities can ship by UPS. **Note: We handle many other sizes and shapes.**


Targets



503721



503741




503771




505031

Part No	Type	Dimensions	Weight
503721	Target	4.00"A x 1.43"B x 1.25"C	.69 lbs
503741	Target	5.00"A x 1.60"B x 1.50"C	1.00 lbs
503771	Target	6.00"A x 2.87"B x 1.75"C	1.80 lbs
505031	Target	5.00"A x 1.30"B x 1.90"C	.88 lbs


Caps




502171




502201




502301




502051



502091



503431



508421

Part Numbers:
GM : CMH-1045
Chrysler: CE1-3
Ford : ZE-101-A

Part No	Type	Dimensions	Weight
502171	Cap	1.56"A x 2.40"B x 2.50"C	.43 lbs
502201	Cap	1.56"A x 2.00"B x 2.50"C	.35 lbs
502301	Cap	1.87"A x 2.00"B x 2.87"C	.46 lbs
502051	Cap	1.25"A x 1.90"B x 2.00"C	.28 lbs
502091	Cap	1.56"A x 2.00"B x 2.00"C	.32 lbs
503431	Cap	1.72"A x 1.50"B x 2.60"C	.41 lbs
508421	Cap	1.25"A x 1.75"B x 2.18"C	1.25 lbs




Jesco Industries, Inc.
PO Box 388
Litchfield, MI 49252-0388

PRESORTED
STANDARD
US POSTAGE PAID
LITCHFIELD, MI
PERMIT NO 8

DO NOT RETURN

Distributed by:

Through the years...



...always growing!